



CERTIFICATE OF ACCREDITATION



Viola Engineering, PC

in

Harrisonburg, Virginia, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

A handwritten signature in black ink, appearing to read 'Jim Tymon', written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', written over a horizontal line.

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 04/17/2026 at 4:20 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

Viola Engineering, PC

in Harrisonburg, Virginia, USA

Quality Management System

Standard:

Accredited Since:

| | | |
|-------------------|--|------------------|
| R18 | Establishing and Implementing a Quality System for Construction Materials Testing Laboratories | 11/08/2010 |
| C1077 (Aggregate) | Laboratories Testing Concrete and Concrete Aggregates | Suspended |
| C1077 (Concrete) | Laboratories Testing Concrete and Concrete Aggregates | 01/10/2011 |
| D3740 (Soil) | Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction | 02/06/2012 |
| E329 (Aggregate) | Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction | Suspended |
| E329 (Concrete) | Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction | 05/14/2013 |
| E329 (Soil) | Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction | 02/06/2012 |



SCOPE OF AASHTO ACCREDITATION FOR:

Viola Engineering, PC

in Harrisonburg, Virginia, USA

Soil

Standard:

Accredited Since:

| | | |
|-------|---|------------|
| R58 | Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test | 04/05/2018 |
| T89 | Determining the Liquid Limit of Soils (Atterberg Limits) | 02/06/2012 |
| T90 | Plastic Limit of Soils (Atterberg Limits) | 02/06/2012 |
| T99 | The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop | 02/06/2012 |
| T180 | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop | 02/06/2012 |
| T193 | The California Bearing Ratio | 02/06/2012 |
| T208 | Unconfined Compressive Strength of Cohesive Soil | 04/05/2018 |
| T288 | Minimum Soil Resistivity | 06/04/2020 |
| T289 | pH of Soils for Corrosion Testing | 06/04/2020 |
| D698 | The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop | 02/06/2012 |
| D854 | Specific Gravity of Soils | 06/04/2020 |
| D1140 | Amount of Material in Soils Finer than the No. 200 (75- μ m) Sieve | 02/06/2012 |
| D1557 | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop | 02/06/2012 |
| D2216 | Laboratory Determination of Moisture Content of Soils | 02/06/2012 |
| D2435 | One-Dimensional Consolidation Properties of Soils Using Incremental Loading | 04/08/2026 |
| D2487 | Classification of Soils for Engineering Purposes (Unified Soil Classification System) | 04/08/2026 |
| D2850 | Unconsolidated, Undrained Compressive Strength of Cohesive Soils in Triaxial Compression | 04/08/2026 |
| D2974 | Determination of Organic Content in Soils by Loss on Ignition | 11/20/2023 |
| D4318 | Determining the Liquid Limit of Soils (Atterberg Limits) | 02/06/2012 |
| D4318 | Plastic Limit of Soils (Atterberg Limits) | 02/06/2012 |
| D4767 | Consolidated-Undrained Triaxial Compression Test on Cohesive Soils | 04/08/2026 |
| D5084 | Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter | 06/04/2020 |
| D6913 | Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis | 04/05/2018 |



AASHTO
ACCREDITED

SCOPE OF AASHTO ACCREDITATION FOR:

Viola Engineering, PC

in Harrisonburg, Virginia, USA

Soil (Continued)

Standard:

Accredited Since:

D7928 Particle-Size Distribution (Gradation) of Fine-Grained Soils Using the Sedimentation (Hydrometer) Analysis

06/04/2020



AASHTO
ACCREDITED

SCOPE OF AASHTO ACCREDITATION FOR:

Viola Engineering, PC

in Harrisonburg, Virginia, USA

Rock

Standard:

D4644 Slake Durability of Shales and Weak Rocks

Accredited Since:

06/04/2020



SCOPE OF AASHTO ACCREDITATION FOR:

Viola Engineering, PC

in Harrisonburg, Virginia, USA

Aggregate

Standard:

Accredited Since:

| | |
|--|------------------|
| C40 Organic Impurities in Fine Aggregates for Concrete | 11/08/2010 |
| C117 Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing | 11/08/2010 |
| C127 Specific Gravity and Absorption of Coarse Aggregate | 11/08/2010 |
| C128 Specific Gravity (Relative Density) and Absorption of Fine Aggregate | 11/08/2010 |
| C136 Sieve Analysis of Fine and Coarse Aggregates | Suspended |
| C566 Total Moisture Content of Aggregate by Drying | 11/08/2010 |
| C702 Reducing Samples of Aggregate to Testing Size | 11/08/2010 |



SCOPE OF AASHTO ACCREDITATION FOR:

Viola Engineering, PC

in Harrisonburg, Virginia, USA

Concrete

Standard:

Accredited Since:

| | | |
|----------------------------|---|------------|
| C31 (Cylinders) | Making and Curing Concrete Test Specimens in the Field | 11/08/2010 |
| C39 | Compressive Strength of Cylindrical Concrete Specimens | 11/08/2010 |
| C138 | Density (Unit Weight), Yield, and Air Content of Concrete | 11/08/2010 |
| C143 | Slump of Hydraulic Cement Concrete | 11/08/2010 |
| C172 | Sampling Freshly Mixed Concrete | 11/08/2010 |
| C231 | Air Content of Freshly Mixed Concrete by the Pressure Method | 11/08/2010 |
| C511 | Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes | 05/14/2013 |
| C1064 | Temperature of Freshly Mixed Portland Cement Concrete | 11/08/2010 |
| C1231 (7000 psi and below) | Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders | 11/08/2010 |