



# CERTIFICATE OF ACCREDITATION



## Midland Asphalt Materials Inc.

in

## Woodland, Pennsylvania, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories ([aashtoresource.org](https://aashtoresource.org)).

A handwritten signature in black ink, appearing to read 'Jim Tymon', written over a horizontal line.

Jim Tymon,  
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', written over a horizontal line.

Matt Linneman,  
AASHTO COMP Chair

This certificate was generated on 04/30/2026 at 11:59 PM Eastern Time. Please confirm the current accreditation status of this laboratory at [aashtoresource.org/aap/accreditation-directory](https://aashtoresource.org/aap/accreditation-directory)



# SCOPE OF AASHTO ACCREDITATION FOR:

Midland Asphalt Materials Inc.

in Woodland, Pennsylvania, USA

## Quality Management System

**Standard:**

**Accredited Since:**

R18 Establishing and Implementing a Quality System for Construction Materials Testing Laboratories

02/13/2018



# SCOPE OF AASHTO ACCREDITATION FOR:

Midland Asphalt Materials Inc.

in Woodland, Pennsylvania, USA

## Asphalt Binder

### Standard:

### Accredited Since:

T49 Penetration of Original Sample of Asphalt Cement

11/06/2023

D5 Penetration of Original Sample of Asphalt Cement

11/06/2023



# SCOPE OF AASHTO ACCREDITATION FOR:

Midland Asphalt Materials Inc.

in Woodland, Pennsylvania, USA

## Emulsified Asphalt

Standard:	Accredited Since:
T59 Density	04/29/2026
T59 Residue by Distillation	02/13/2018
T59 Residue by Evaporation	02/13/2018
T59 Settlement and Storage Stability	04/29/2026
T59 Sieve Test	11/06/2023
T382 Viscosity of Emulsified Asphalts Using Rotational Paddle Viscometer at 25°C (77°F)	11/16/2020
T382 Viscosity of Emulsified Asphalts Using Rotational Paddle Viscometer at 50°C (122°F)	11/16/2020
T59-T72 Saybolt Furol Viscosity at 50°C (122°F)	02/13/2018
D6930 Settlement and Storage Stability	04/29/2026
D6933 Sieve Test	11/06/2023
D6934 Residue by Evaporation	02/13/2018
D6937 Density	04/29/2026
D6997 Residue by Distillation	02/13/2018
D7226 Viscosity of Emulsified Asphalts Using Rotational Paddle Viscometer at 25°C (77°F)	11/16/2020
D7226 Viscosity of Emulsified Asphalts Using Rotational Paddle Viscometer at 50°C (122°F)	11/16/2020
D7496-D88 Saybolt Furol Viscosity at 50°C (122°F)	02/13/2018