



CERTIFICATE OF ACCREDITATION



Atlantic Testing Laboratories, Limited

in

Binghamton, New York, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).



Jim Tymon,
AASHTO Executive Director



Matt Linneman
AASHTO COMP Chair



SCOPE OF AASHTO ACCREDITATION FOR:

Atlantic Testing Laboratories, Limited
in Binghamton, New York, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	10/31/2008
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	12/14/2016
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	01/10/2011
E329 (Concrete)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	12/14/2016
E329 (Soil)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/10/2011



SCOPE OF AASHTO ACCREDITATION FOR:

Atlantic Testing Laboratories, Limited
in Binghamton, New York, USA

Soil

Standard:**Accredited Since:**

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	10/31/2008
T88	Particle Size Analysis of Soils by Hydrometer	10/31/2008
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	10/31/2008
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	10/31/2008
T265	Laboratory Determination of Moisture Content of Soils	10/31/2008
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	10/31/2008
D422	Particle Size Analysis of Soils by Hydrometer	10/31/2008
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	10/31/2008
D1140	Amount of Material in Soils Finer than the No. 200 (75- μ m) Sieve	10/31/2008
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	10/31/2008
D2216	Laboratory Determination of Moisture Content of Soils	10/31/2008
D6938	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	10/31/2008



SCOPE OF AASHTO ACCREDITATION FOR:

Atlantic Testing Laboratories, Limited
in Binghamton, New York, USA

Aggregate

Standard:**Accredited Since:**

R90 Sampling Aggregate	12/26/2013
C117 Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing	10/31/2008
C136 Sieve Analysis of Fine and Coarse Aggregates	10/31/2008
C566 Total Moisture Content of Aggregate by Drying	10/31/2008
C702 Reducing Samples of Aggregate to Testing Size	10/31/2008
D75 Sampling Aggregate	12/26/2013



SCOPE OF AASHTO ACCREDITATION FOR:

Atlantic Testing Laboratories, Limited
in Binghamton, New York, USA

Concrete

Standard:**Accredited Since:**

C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	03/21/2014
C39	Compressive Strength of Cylindrical Concrete Specimens	02/04/2009
C138	Density (Unit Weight), Yield, and Air Content of Concrete	02/04/2009
C143	Slump of Hydraulic Cement Concrete	02/04/2009
C172	Sampling Freshly Mixed Concrete	02/04/2009
C173	Air Content of Freshly Mixed Concrete by the Volumetric Method	02/04/2009
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	02/04/2009
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	03/21/2014
C617 (9000 psi and below)	Capping Cylindrical Concrete Specimens	08/20/2025
C1064	Temperature of Freshly Mixed Portland Cement Concrete	02/04/2009
C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	07/22/2011