



AASHTO
ACCREDITED

CERTIFICATE OF ACCREDITATION

AMERICAN ASSOCIATION
OF STATE HIGHWAY AND
TRANSPORTATION OFFICIALS

AASHTO

Froehling & Robertson, Incorporated

in

Richmond, Virginia, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).



Jim Tymon,
AASHTO Executive Director



Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 04/22/2026 at 12:56 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

Froehling & Robertson, Incorporated

in Richmond, Virginia, USA

Quality Management System

Standard:

Accredited Since:

| | | |
|--|--|------------|
| R18 | Establishing and Implementing a Quality System for Construction Materials Testing Laboratories | 06/25/2018 |
| C1077 (Aggregate) | Laboratories Testing Concrete and Concrete Aggregates | 12/28/2023 |
| C1077 (Concrete) | Laboratories Testing Concrete and Concrete Aggregates | 04/12/2012 |
| C1093 (Masonry) | Accreditation of Testing Agencies for Unit Masonry | 01/26/2016 |
| D3740 (Soil) | Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction | 10/09/2015 |
| E329 (Concrete) | Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction | 10/22/2014 |
| E329 (Soil) | Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction | 12/28/2023 |
| E329 (Sprayed Fire-Resistive Material) | Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction | 10/09/2015 |



SCOPE OF AASHTO ACCREDITATION FOR:

Froehling & Robertson, Incorporated

in Richmond, Virginia, USA

Asphalt Mixture

Standard:

Accredited Since:

| | |
|--|------------|
| T166 (Cores) Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens (Cores) | 11/01/2023 |
| D2726 (Cores) Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens (Cores) | 11/01/2023 |



SCOPE OF AASHTO ACCREDITATION FOR:

Froehling & Robertson, Incorporated
in Richmond, Virginia, USA

Soil

Standard:

Accredited Since:

| | | |
|-------|---|------------|
| R58 | Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test | 11/01/2023 |
| T88 | Particle Size Analysis of Soils by Hydrometer | 11/01/2023 |
| T89 | Determining the Liquid Limit of Soils (Atterberg Limits) | 11/01/2023 |
| T90 | Plastic Limit of Soils (Atterberg Limits) | 11/01/2023 |
| T99 | The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop | 11/01/2023 |
| T100 | Specific Gravity of Soils | 11/01/2023 |
| T180 | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop | 11/01/2023 |
| T191 | Density of Soil In-Place by the Sand Cone Method | 11/01/2023 |
| T193 | The California Bearing Ratio | 11/01/2023 |
| T265 | Laboratory Determination of Moisture Content of Soils | 11/01/2023 |
| T310 | In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth) | 11/01/2023 |
| D421 | Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test | 05/23/2011 |
| D422 | Particle Size Analysis of Soils by Hydrometer | 05/23/2011 |
| D698 | The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop | 11/15/1998 |
| D854 | Specific Gravity of Soils | 11/01/2023 |
| D1140 | Amount of Material in Soils Finer than the No. 200 (75- μ m) Sieve | 05/23/2011 |
| D1556 | Density of Soil In-Place by the Sand Cone Method | 05/23/2011 |
| D1557 | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop | 11/15/1998 |
| D1883 | The California Bearing Ratio | 05/23/2011 |
| D2216 | Laboratory Determination of Moisture Content of Soils | 05/23/2011 |
| D2487 | Classification of Soils for Engineering Purposes (Unified Soil Classification System) | 11/15/1998 |
| D2488 | Description and Identification of Soils (Visual-Manual Procedure) | 11/15/1998 |
| D4318 | Determining the Liquid Limit of Soils (Atterberg Limits) | 05/23/2011 |



SCOPE OF AASHTO ACCREDITATION FOR:

Froehling & Robertson, Incorporated

in Richmond, Virginia, USA

Soil (Continued)

Standard:

Accredited Since:

| | |
|--|------------|
| D4318 Plastic Limit of Soils (Atterberg Limits) | 11/15/1998 |
| D4718 Oversize Particle Correction | 11/01/2023 |
| D6913 Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis | 11/01/2023 |
| D6938 In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth) | 05/31/2013 |
| D7928 Particle-Size Distribution (Gradation) of Fine-Grained Soils Using the Sedimentation (Hydrometer) Analysis | 11/01/2023 |



SCOPE OF AASHTO ACCREDITATION FOR:

Froehling & Robertson, Incorporated
in Richmond, Virginia, USA

Aggregate

| Standard: | Accredited Since: |
|--|-------------------|
| R76 Reducing Samples of Aggregate to Testing Size | 11/01/2023 |
| R90 Sampling Aggregate | 11/01/2023 |
| T11 Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing | 11/01/2023 |
| T19 Bulk Density ("Unit Weight") and Voids in Aggregate | 11/01/2023 |
| T21 Organic Impurities in Fine Aggregates for Concrete | 11/01/2023 |
| T27 Sieve Analysis of Fine and Coarse Aggregates | 12/28/2023 |
| T84 Specific Gravity (Relative Density) and Absorption of Fine Aggregate | 11/01/2023 |
| T85 Specific Gravity and Absorption of Coarse Aggregate | 11/01/2023 |
| T96 Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine | 11/01/2023 |
| T104 Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate | 12/28/2023 |
| T112 Clay Lumps and Friable Particles in Aggregate | 11/01/2023 |
| T113 Lightweight Pieces in Aggregate | 11/01/2023 |
| T255 Total Moisture Content of Aggregate by Drying | 11/01/2023 |
| C29 Bulk Density ("Unit Weight") and Voids in Aggregate | 07/18/2018 |
| C40 Organic Impurities in Fine Aggregates for Concrete | 09/01/1998 |
| C88 Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate | 05/31/2013 |
| C117 Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing | 10/05/2018 |
| C123 Lightweight Pieces in Aggregate | 09/04/2020 |
| C127 Specific Gravity and Absorption of Coarse Aggregate | 09/01/1998 |
| C128 Specific Gravity (Relative Density) and Absorption of Fine Aggregate | 09/01/1998 |
| C131 Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine | 07/18/2018 |
| C136 Sieve Analysis of Fine and Coarse Aggregates | 12/28/2023 |
| C142 Clay Lumps and Friable Particles in Aggregate | 09/04/2020 |



SCOPE OF AASHTO ACCREDITATION FOR:

Froehling & Robertson, Incorporated

in Richmond, Virginia, USA

Aggregate (Continued)

Standard:

Accredited Since:

| | | |
|-------|--|------------|
| C535 | Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine | 09/04/2020 |
| C566 | Total Moisture Content of Aggregate by Drying | 09/01/1998 |
| C702 | Reducing Samples of Aggregate to Testing Size | 09/01/1998 |
| D75 | Sampling Aggregate | 07/18/2018 |
| D4791 | Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate | 07/18/2018 |



SCOPE OF AASHTO ACCREDITATION FOR:

Froehling & Robertson, Incorporated

in Richmond, Virginia, USA

Sprayed Fire-Resistive Material

Standard:

Accredited Since:

E605 Thickness and Density of Sprayed Fire-Resistive Material(SFRM) Applied to Structural Members

10/09/2015

E736 Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members

10/09/2015



SCOPE OF AASHTO ACCREDITATION FOR:

Froehling & Robertson, Incorporated
in Richmond, Virginia, USA

Concrete

| Standard: | | Accredited Since: |
|---|---|-------------------|
| M201 | Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes | 06/16/2025 |
| R39 | Making and Curing Concrete Test Specimens in the Laboratory | 06/16/2025 |
| R60 | Sampling Freshly Mixed Concrete | 06/16/2025 |
| R100 (Beams) | Making and Curing Concrete Test Specimens in the Field | 06/16/2025 |
| R100 (Cylinders) | Making and Curing Concrete Test Specimens in the Field | 06/16/2025 |
| R115 | Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency | 06/16/2025 |
| T22 | Compressive Strength of Cylindrical Concrete Specimens | 06/16/2025 |
| T24 (Testing Drilled Cores of Concrete) | Testing Drilled Cores of Concrete | 06/16/2025 |
| T97 | Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading) | 06/16/2025 |
| T119 | Slump of Hydraulic Cement Concrete | 06/16/2025 |
| T121 | Density (Unit Weight), Yield, and Air Content of Concrete | 06/16/2025 |
| T152 | Air Content of Freshly Mixed Concrete by the Pressure Method | 06/16/2025 |
| T196 | Air Content of Freshly Mixed Concrete by the Volumetric Method | 06/16/2025 |
| T198 | Splitting Tensile Strength of Cylindrical Concrete Specimens | 06/16/2025 |
| T231 (8000 psi and below) | Capping Cylindrical Concrete Specimens | 06/16/2025 |
| T303 | Potential Alkali Reactivity of Aggregates (Mortar-Bar Method) | 06/16/2025 |
| T309 | Temperature of Freshly Mixed Portland Cement Concrete | 06/16/2025 |
| C31 (Beams) | Making and Curing Concrete Test Specimens in the Field | 09/01/1998 |
| C31 (Cylinders) | Making and Curing Concrete Test Specimens in the Field | 09/01/1998 |
| C39 | Compressive Strength of Cylindrical Concrete Specimens | 09/01/1998 |
| C42 (Testing Drilled Cores of Concrete) | Testing Drilled Cores of Concrete | 01/26/2016 |
| C78 | Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading) | 09/01/1998 |
| C138 | Density (Unit Weight), Yield, and Air Content of Concrete | 09/01/1998 |



SCOPE OF AASHTO ACCREDITATION FOR:

Froehling & Robertson, Incorporated

in Richmond, Virginia, USA

Concrete (Continued)

| Standard: | | Accredited Since: |
|----------------------------|--|-------------------|
| C143 | Slump of Hydraulic Cement Concrete | 09/01/1998 |
| C172 | Sampling Freshly Mixed Concrete | 09/01/1998 |
| C173 | Air Content of Freshly Mixed Concrete by the Volumetric Method | 09/01/1998 |
| C192 | Making and Curing Concrete Test Specimens in the Laboratory | 09/01/1998 |
| C231 | Air Content of Freshly Mixed Concrete by the Pressure Method | 09/01/1998 |
| C305 | Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency | 06/16/2025 |
| C496 | Splitting Tensile Strength of Cylindrical Concrete Specimens | 01/26/2016 |
| C511 | Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes | 05/31/2012 |
| C617 (8000 psi and below) | Capping Cylindrical Concrete Specimens | 12/02/2024 |
| C642 | Density, Absorption, and Voids in Hardened Concrete | 01/26/2016 |
| C1064 | Temperature of Freshly Mixed Portland Cement Concrete | 09/01/1998 |
| C1231 (7000 psi and below) | Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders | 04/23/2012 |
| C1260 | Potential Alkali Reactivity of Aggregates (Mortar-Bar Method) | 06/16/2025 |
| C1542 | Measuring Length of Concrete Cores | 01/26/2016 |
| C1567 | Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate (Accelerated Mortar-Bar Method) | 06/16/2025 |



SCOPE OF AASHTO ACCREDITATION FOR:

Froehling & Robertson, Incorporated

in Richmond, Virginia, USA

Masonry

Standard:

Accredited Since:

| | | |
|--|--|------------|
| C140 (Full-Size Concrete Masonry Units) | Sampling and Testing Concrete Masonry Units and Related Units | 07/08/2025 |
| C511 | Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes | 06/16/2025 |
| C780 (Annex 1) | Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Consistency by Cone Penetration | 06/16/2025 |
| C780 (Annex 6 - Cubes) | Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Compressive Strength of Cubes | 06/16/2025 |
| C780 (Annex 6 - Cylinders) | Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Compressive Strength of Cylinders | 06/16/2025 |
| C1019 | Sampling and Testing Grout | 06/16/2025 |
| C1314 (Prisms Constructed of Full-Size Concrete Masonry Units) | Compressive Strength of Masonry Prisms | 07/08/2025 |
| C1552 | Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing | 01/26/2016 |