AASHTO ACCREDITED

Certificate of Accreditation

American Association of State Highway and Transportation Officials

AASHTO

Atlas Technical Consultants LLC

in

Riverside, California, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

Jim Tymon,
AASHTO Executive Director

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 11/16/2026 at 9:06 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

Atlas Technical Consultants LLC

in Riverside, California, USA

Quality Management System

Standard:		Accredited Since:
R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	01/09/2006
C1077 (Aggregate)	Laboratories Testing Concrete and Concrete Aggregates	08/16/2017
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	04/04/2011
D3666 (Aggregate)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	12/10/2018
D3666 (Asphalt Mixture)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	10/04/2019
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	06/30/2017
E329 (Aggregate)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	08/16/2017
E329 (Asphalt Mixture)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	03/04/2026
E329 (Concrete)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	11/27/2012
E329 (Sprayed Fire-Resistive Material)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/04/2023

This certificate was generated on 11/16/2026 at 9:06 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

Atlas Technical Consultants LLC

in Riverside, California, USA

Asphalt Mixture

Standard:		Accredited Since:
R47	Reducing Samples of Hot-Mix Asphalt to Testing Size	03/04/2026
R68	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	03/04/2026
R97	Sampling Bituminous Paving Mixtures	03/04/2026
T166	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	03/04/2026
T209	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	03/04/2026
T245	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	03/04/2026
T269	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	03/04/2026
T275	Bulk Specific Gravity of Compacted Bituminous Mixtures Using Paraffin-Coated Specimens	03/26/2018
T355	Density of Bituminous Concrete In Place by Nuclear Methods	03/04/2026
D979	Sampling Bituminous Paving Mixtures	03/04/2026
D2041	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	03/04/2026
D2726	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	03/26/2018
D2950	Density of Bituminous Concrete In Place by Nuclear Methods	03/26/2018
D3203	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	03/04/2026
D3549	Thickness or Height of Compacted Bituminous Paving Mixture Specimens	03/04/2026
D6926	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	03/26/2018
D6927	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	03/04/2026

This certificate was generated on 11/16/2026 at 9:06 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

Atlas Technical Consultants LLC

in Riverside, California, USA

Soil

Standard:		Accredited Since:
R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	03/04/2026
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	03/04/2026
T90	Plastic Limit of Soils (Atterberg Limits)	03/04/2026
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	01/09/2006
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	01/09/2006
T191	Density of Soil In-Place by the Sand Cone Method	01/09/2006
T265	Laboratory Determination of Moisture Content of Soils	01/09/2006
T310	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	01/09/2006
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	03/04/2026
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	01/09/2006
D1140	Amount of Material in Soils Finer than the No. 200 (75-µm) Sieve	06/30/2017
D1556	Density of Soil In-Place by the Sand Cone Method	01/09/2006
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	01/09/2006
D2216	Laboratory Determination of Moisture Content of Soils	01/09/2006
D2487	Classification of Soils for Engineering Purposes (Unified Soil Classification System)	01/09/2006
D2488	Description and Identification of Soils (Visual-Manual Procedure)	01/09/2006
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	08/16/2017
D4318	Plastic Limit of Soils (Atterberg Limits)	08/16/2017
D4718	Oversize Particle Correction	11/18/2022
D4829	Expansion Index of Soils	11/18/2022
D6913	Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis	11/18/2022
D6938	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	01/09/2006

This certificate was generated on 11/16/2026 at 9:06 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

Atlas Technical Consultants LLC

in Riverside, California, USA

Aggregate

Standard:		Accredited Since:
R76	Reducing Samples of Aggregate to Testing Size	01/09/2006
R90	Sampling Aggregate	03/04/2026
T11	Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing	01/09/2006
T19	Bulk Density (“Unit Weight”) and Voids in Aggregate	01/09/2006
T21	Organic Impurities in Fine Aggregates for Concrete	01/09/2006
T27	Sieve Analysis of Fine and Coarse Aggregates	03/04/2026
T84	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	01/09/2006
T85	Specific Gravity and Absorption of Coarse Aggregate	01/09/2006
T96	Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	01/09/2006
T112	Clay Lumps and Friable Particles in Aggregate	01/09/2006
T176	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	01/09/2006
T210	Aggregate Durability Index	01/09/2006
T255	Total Moisture Content of Aggregate by Drying	01/09/2006
C29	Bulk Density (“Unit Weight”) and Voids in Aggregate	01/09/2006
C40	Organic Impurities in Fine Aggregates for Concrete	01/09/2006
C117	Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing	01/09/2006
C127	Specific Gravity and Absorption of Coarse Aggregate	01/09/2006
C128	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	01/09/2006
C131	Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	01/09/2006
C136	Sieve Analysis of Fine and Coarse Aggregates	08/16/2017
C142	Clay Lumps and Friable Particles in Aggregate	01/09/2006
C535	Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	10/03/2012
C566	Total Moisture Content of Aggregate by Drying	01/09/2006

This certificate was generated on 11/16/2026 at 9:06 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

Atlas Technical Consultants LLC

in Riverside, California, USA

Aggregate (Continued)

Standard:		Accredited Since:
C702	Reducing Samples of Aggregate to Testing Size	01/09/2006
D75	Sampling Aggregate	11/18/2022
D2419	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	01/09/2006
D3744	Aggregate Durability Index	01/09/2006

This certificate was generated on 11/16/2026 at 9:06 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

Atlas Technical Consultants LLC

in Riverside, California, USA

Sprayed Fire-Resistive Material

Standard:	Accredited Since:
E605 Thickness and Density of Sprayed Fire-Resistive Material(SFRM) Applied to Structural Members	10/03/2012
E736 Cohesion/Adhesion of Sprayed Fire-Resistive MaterialsApplied to Structural Members	10/03/2012

This certificate was generated on 11/16/2026 at 9:06 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

Atlas Technical Consultants LLC

in Riverside, California, USA

Iron and Steel

Standard:	Accredited Since:
A615-A370 Carbon-Steel Bars, Deformed and Plain: Tension (Elongation)	07/13/2015
A615-A370 Carbon-Steel Bars, Deformed and Plain: Tension (Ultimate Tensile Strength)	07/13/2015
A615-A370 Carbon-Steel Bars, Deformed and Plain: Tension (Yield Strength)	07/13/2015
A615-E290 Carbon-Steel Bars, Deformed and Plain: Bend Test	12/03/2008
A706-A370 Low Alloy Steel Bars, Deformed and Plain: Tension (Elongation)	07/13/2015
A706-A370 Low Alloy Steel Bars, Deformed and Plain: Tension (Ultimate Tensile Strength)	07/13/2015
A706-A370 Low Alloy Steel Bars, Deformed and Plain: Tension (Yield Strength)	07/13/2015
A706-E290 Low Alloy Steel Bars, Deformed and Plain: Bend Test	08/22/2011

This certificate was generated on 11/16/2026 at 9:06 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

Atlas Technical Consultants LLC

in Riverside, California, USA

Concrete

Standard:		Accredited Since:
C31 (Beams)	Making and Curing Concrete Test Specimens in the Field	10/31/2018
C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	10/31/2018
C39	Compressive Strength of Cylindrical Concrete Specimens	05/04/2006
C78	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	10/31/2018
C138	Density (Unit Weight), Yield, and Air Content of Concrete	04/04/2011
C143	Slump of Hydraulic Cement Concrete	05/04/2006
C172	Sampling Freshly Mixed Concrete	05/04/2006
C173	Air Content of Freshly Mixed Concrete by the Volumetric Method	05/04/2006
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	05/04/2006
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	12/06/2013
C617 (7000 psi and below)	Capping Cylindrical Concrete Specimens	04/10/2025
C1064	Temperature of Freshly Mixed Portland Cement Concrete	05/04/2006
C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	12/06/2013

This certificate was generated on 11/16/2026 at 9:06 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

Atlas Technical Consultants LLC

in Riverside, California, USA

Masonry

Standard:	Accredited Since:
C511 Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	06/02/2014
C1019 Sampling and Testing Grout	12/03/2008

This certificate was generated on 11/16/2026 at 9:06 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory