



AASHTO
ACCREDITED

CERTIFICATE OF ACCREDITATION

AMERICAN ASSOCIATION
OF STATE HIGHWAY AND
TRANSPORTATION OFFICIALS

AASHTO


Inberg Surveying Co. dba **Inberg-Miller Engineers**

in

Casper, Wyoming, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).



Jim Tymon,
AASHTO Executive Director



Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 04/24/2026 at 3:57 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

Inberg Surveying Co. dba Inberg-Miller Engineers

in Casper, Wyoming, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	11/16/2017
C1077 (Aggregate)	Laboratories Testing Concrete and Concrete Aggregates	11/16/2017
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	12/05/2017
D3666 (Aggregate)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	11/16/2017
D3666 (Asphalt Mixture)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	11/16/2017
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	11/16/2017
E329 (Aggregate)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	11/16/2017
E329 (Asphalt Mixture)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	11/16/2017
E329 (Concrete)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	12/05/2017
E329 (Soil)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	11/16/2017



SCOPE OF AASHTO ACCREDITATION FOR:

Inberg Surveying Co. dba Inberg-Miller Engineers
in Casper, Wyoming, USA

Asphalt Mixture

Standard:

Accredited Since:

R47	Reducing Samples of Hot-Mix Asphalt to Testing Size	11/16/2017
R68	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	11/16/2017
R97	Sampling Bituminous Paving Mixtures	04/27/2022
T30	Mechanical Analysis of Extracted Aggregate	11/16/2017
T166	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	11/16/2017
T209	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	11/16/2017
T245	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	11/16/2017
T269	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	11/16/2017
T308	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	11/16/2017
T312	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	04/27/2022
T355	Density of Bituminous Concrete In Place by Nuclear Methods	04/09/2019
D979	Sampling Bituminous Paving Mixtures	04/27/2022
D2041	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	11/16/2017
D2726	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	11/16/2017
D2950	Density of Bituminous Concrete In Place by Nuclear Methods	04/09/2019
D3203	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	11/16/2017
D3549	Thickness or Height of Compacted Bituminous Paving Mixture Specimens	04/27/2022
D5444	Mechanical Analysis of Extracted Aggregate	11/16/2017
D6307	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	11/16/2017
D6925	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	04/27/2022
D6926	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	11/16/2017
D6927	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	11/16/2017



SCOPE OF AASHTO ACCREDITATION FOR:

Inberg Surveying Co. dba Inberg-Miller Engineers
in Casper, Wyoming, USA

Soil

Standard:

Accredited Since:

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	11/16/2017
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	11/16/2017
T90	Plastic Limit of Soils (Atterberg Limits)	11/16/2017
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	11/16/2017
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	11/16/2017
T265	Laboratory Determination of Moisture Content of Soils	11/16/2017
T310	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	11/16/2017
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	11/16/2017
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	11/16/2017
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	11/16/2017
D2216	Laboratory Determination of Moisture Content of Soils	11/16/2017
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	11/16/2017
D4318	Plastic Limit of Soils (Atterberg Limits)	11/16/2017
D6938	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	11/16/2017



SCOPE OF AASHTO ACCREDITATION FOR:

Inberg Surveying Co. dba Inberg-Miller Engineers
in Casper, Wyoming, USA

Aggregate

Standard:

Accredited Since:

R76	Reducing Samples of Aggregate to Testing Size	11/16/2017
R90	Sampling Aggregate	04/27/2022
T11	Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	11/16/2017
T21	Organic Impurities in Fine Aggregates for Concrete	11/16/2017
T27	Sieve Analysis of Fine and Coarse Aggregates	11/16/2017
T84	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	11/16/2017
T85	Specific Gravity and Absorption of Coarse Aggregate	11/16/2017
T96	Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	11/16/2017
T104	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	11/16/2017
T112	Clay Lumps and Friable Particles in Aggregate	11/16/2017
T176	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	11/16/2017
T255	Total Moisture Content of Aggregate by Drying	11/16/2017
T304	Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	11/16/2017
T335	Determining the Percentage of Fractured Particles in Coarse Aggregate	11/16/2017
C40	Organic Impurities in Fine Aggregates for Concrete	11/16/2017
C88	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	11/16/2017
C117	Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	11/16/2017
C127	Specific Gravity and Absorption of Coarse Aggregate	11/16/2017
C128	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	11/16/2017
C131	Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	11/16/2017
C136	Sieve Analysis of Fine and Coarse Aggregates	11/16/2017
C142	Clay Lumps and Friable Particles in Aggregate	11/16/2017
C566	Total Moisture Content of Aggregate by Drying	11/16/2017



SCOPE OF AASHTO ACCREDITATION FOR:

Inberg Surveying Co. dba Inberg-Miller Engineers
in Casper, Wyoming, USA

Aggregate (Continued)

Standard:

Accredited Since:

C702 Reducing Samples of Aggregate to Testing Size	11/16/2017
C1252 Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	11/16/2017
D75 Sampling Aggregate	04/27/2022
D2419 Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	11/16/2017
D5821 Determining the Percentage of Fractured Particles in Coarse Aggregate	11/16/2017



SCOPE OF AASHTO ACCREDITATION FOR:

Inberg Surveying Co. dba Inberg-Miller Engineers
in Casper, Wyoming, USA

Concrete

Standard:		Accredited Since:
M201	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	12/05/2017
R39	Making and Curing Concrete Test Specimens in the Laboratory	12/05/2017
R60	Sampling Freshly Mixed Concrete	12/05/2017
R100 (Beams)	Making and Curing Concrete Test Specimens in the Field	12/05/2017
R100 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	12/05/2017
T22	Compressive Strength of Cylindrical Concrete Specimens	12/05/2017
T97	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	12/05/2017
T119	Slump of Hydraulic Cement Concrete	12/05/2017
T121	Density (Unit Weight), Yield, and Air Content of Concrete	12/05/2017
T152	Air Content of Freshly Mixed Concrete by the Pressure Method	12/05/2017
T196	Air Content of Freshly Mixed Concrete by the Volumetric Method	03/19/2020
T309	Temperature of Freshly Mixed Portland Cement Concrete	12/05/2017
C31 (Beams)	Making and Curing Concrete Test Specimens in the Field	12/05/2017
C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	12/05/2017
C39	Compressive Strength of Cylindrical Concrete Specimens	12/05/2017
C78	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	12/05/2017
C138	Density (Unit Weight), Yield, and Air Content of Concrete	12/05/2017
C143	Slump of Hydraulic Cement Concrete	12/05/2017
C172	Sampling Freshly Mixed Concrete	12/05/2017
C173	Air Content of Freshly Mixed Concrete by the Volumetric Method	03/19/2020
C192	Making and Curing Concrete Test Specimens in the Laboratory	12/05/2017
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	12/05/2017
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	12/05/2017



SCOPE OF AASHTO ACCREDITATION FOR:

Inberg Surveying Co. dba Inberg-Miller Engineers

in Casper, Wyoming, USA

Concrete (Continued)

Standard:

Accredited Since:

C1064	Temperature of Freshly Mixed Portland Cement Concrete	12/05/2017
C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	12/05/2017