



CERTIFICATE OF ACCREDITATION



WSP USA, Inc.

in

Jacksonville, Florida, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

A handwritten signature in black ink, appearing to read 'Jim Tymon', is written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', is written over a horizontal line.

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 10/27/2026 at 1:24 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

WSP USA, Inc.
in Jacksonville, Florida, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	09/15/2000
C1077 (Aggregate)	Laboratories Testing Concrete and Concrete Aggregates	05/09/2012
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	05/09/2012
D3666 (Aggregate)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	01/10/2011
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	01/10/2011
E329 (Aggregate)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/10/2011
E329 (Concrete)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	05/09/2012
E329 (Soil)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/10/2011



SCOPE OF AASHTO ACCREDITATION FOR:

WSP USA, Inc.
in Jacksonville, Florida, USA

Soil

Standard:

Accredited Since:

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	05/01/2001
T88	Particle Size Analysis of Soils by Hydrometer	05/01/2001
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	05/01/2001
T90	Plastic Limit of Soils (Atterberg Limits)	05/01/2001
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	05/01/2001
T100	Specific Gravity of Soils	05/01/2001
T134	Moisture-Density Relations of Soil-Cement Mixtures	09/29/2011
T135	Wetting-and-Drying Test of Compacted Soil-Cement Mixtures	09/29/2011
T136	Freezing-and-Thawing Tests of Compacted Soil-Cement Mixtures	02/16/2016
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	05/01/2001
T193	The California Bearing Ratio	05/01/2001
T215	Permeability of Granular Soils (Constant Head)	05/01/2001
T216	One-Dimensional Consolidation Properties of Soils Using Incremental Loading	05/01/2001
T217	Determination of Moisture in Soils by Means of a Calcium Carbide Gas Pressure Moisture Tester	05/01/2001
T265	Laboratory Determination of Moisture Content of Soils	05/01/2001
T267	Determination of Organic Content in Soils by Loss on Ignition	05/01/2001
T310	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	05/01/2001
T311	Grain-Size Analysis of Granular Soil Materials	07/10/2018
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	05/01/2001
D422	Particle Size Analysis of Soils by Hydrometer	05/01/2001
D558	Moisture-Density Relations of Soil-Cement Mixtures	09/29/2011
D559	Wetting-and-Drying Test of Compacted Soil-Cement Mixtures	09/29/2011
D560	Freezing-and-Thawing Tests of Compacted Soil-Cement Mixtures	02/16/2016



SCOPE OF AASHTO ACCREDITATION FOR:

WSP USA, Inc.
in Jacksonville, Florida, USA

Soil (Continued)

Standard:		Accredited Since:
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	05/01/2001
D854	Specific Gravity of Soils	05/01/2001
D1140	Amount of Material in Soils Finer than the No. 200 (75- μ m) Sieve	05/01/2001
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	05/01/2001
D1883	The California Bearing Ratio	05/01/2001
D2216	Laboratory Determination of Moisture Content of Soils	05/01/2001
D2434	Permeability of Granular Soils (Constant Head)	05/01/2001
D2435	One-Dimensional Consolidation Properties of Soils Using Incremental Loading	05/01/2001
D2487	Classification of Soils for Engineering Purposes (Unified Soil Classification System)	08/23/2013
D2488	Description and Identification of Soils (Visual-Manual Procedure)	05/01/2001
D2974	Determination of Organic Content in Soils by Loss on Ignition	09/29/2011
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	05/01/2001
D4318	Plastic Limit of Soils (Atterberg Limits)	05/01/2001
D4944	Determination of Moisture in Soils by Means of a Calcium Carbide Gas Pressure Moisture Tester	05/01/2001
D6913	Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis	08/23/2013
D6938	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	05/01/2001
D7928	Particle-Size Distribution (Gradation) of Fine-Grained Soils Using the Sedimentation (Hydrometer) Analysis	11/13/2020
FM1-T180	Moisture-Density Relations of Soils for Limerock Bearing Ratio	07/10/2018
FM5-515	Limerock Bearing Ratio	09/29/2011
FM5-550	pH of Soil and Water	11/13/2020
FM5-551	Minimum Resistivity of Soil and Water	11/13/2020
FM5-552	Chloride in Soil and Water	11/13/2020
FM5-553	Sulfate in Soil and Water	11/13/2020



SCOPE OF AASHTO ACCREDITATION FOR:

WSP USA, Inc.
in Jacksonville, Florida, USA

Rock

Standard:

Accredited Since:

D3967 Splitting Tensile Strength of Intact Rock Core Specimens	02/16/2016
D5240 Evaluation of Durability of Rock for Erosion Control Using Sodium Sulfate or Magnesium Sulfate	11/13/2020
D5312 Evaluation of Durability of Rock for Erosion Control Under Freezing and Thawing Conditions	11/13/2020
D5313 Durability of Rock for Erosion Control Under Wetting and Drying Conditions	11/13/2020



SCOPE OF AASHTO ACCREDITATION FOR:

WSP USA, Inc.
in Jacksonville, Florida, USA

Aggregate

Standard:

Accredited Since:

R76	Reducing Samples of Aggregate to Testing Size	09/15/2000
R90	Sampling Aggregate	02/16/2016
T11	Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	09/15/2000
T19	Bulk Density ("Unit Weight") and Voids in Aggregate	09/15/2000
T21	Organic Impurities in Fine Aggregates for Concrete	09/15/2000
T27	Sieve Analysis of Fine and Coarse Aggregates	09/15/2000
T84	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	09/15/2000
T85	Specific Gravity and Absorption of Coarse Aggregate	09/15/2000
T96	Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	09/15/2000
T104	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	09/15/2000
T112	Clay Lumps and Friable Particles in Aggregate	09/15/2000
T113	Lightweight Pieces in Aggregate	09/15/2000
T255	Total Moisture Content of Aggregate by Drying	09/15/2000
T335	Determining the Percentage of Fractured Particles in Coarse Aggregate	07/10/2018
C29	Bulk Density ("Unit Weight") and Voids in Aggregate	09/15/2000
C40	Organic Impurities in Fine Aggregates for Concrete	09/15/2000
C88	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	09/15/2000
C117	Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	09/15/2000
C123	Lightweight Pieces in Aggregate	09/15/2000
C127	Specific Gravity and Absorption of Coarse Aggregate	09/15/2000
C128	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	09/15/2000
C131	Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	09/15/2000
C136	Sieve Analysis of Fine and Coarse Aggregates	09/15/2000



SCOPE OF AASHTO ACCREDITATION FOR:

WSP USA, Inc.
in Jacksonville, Florida, USA

Aggregate (Continued)

Standard:	Accredited Since:
C142 Clay Lumps and Friable Particles in Aggregate	09/15/2000
C535 Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	01/27/2012
C566 Total Moisture Content of Aggregate by Drying	09/15/2000
C702 Reducing Samples of Aggregate to Testing Size	09/15/2000
D75 Sampling Aggregate	02/16/2016
D5821 Determining the Percentage of Fractured Particles in Coarse Aggregate	07/10/2018



SCOPE OF AASHTO ACCREDITATION FOR:

WSP USA, Inc.
in Jacksonville, Florida, USA

Concrete

Standard:

Accredited Since:

M201	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	06/19/2014
R60	Sampling Freshly Mixed Concrete	09/15/2000
R100 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	06/14/2019
T22	Compressive Strength of Cylindrical Concrete Specimens	09/15/2000
T24 (Testing Drilled Cores of Concrete)	Testing Drilled Cores of Concrete	01/23/2012
T119	Slump of Hydraulic Cement Concrete	09/15/2000
T121	Density (Unit Weight), Yield, and Air Content of Concrete	09/15/2000
T152	Air Content of Freshly Mixed Concrete by the Pressure Method	09/15/2000
T309	Temperature of Freshly Mixed Portland Cement Concrete	09/15/2000
C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	06/14/2019
C39	Compressive Strength of Cylindrical Concrete Specimens	09/15/2000
C42 (Testing Drilled Cores of Concrete)	Testing Drilled Cores of Concrete	09/15/2000
C138	Density (Unit Weight), Yield, and Air Content of Concrete	09/15/2000
C143	Slump of Hydraulic Cement Concrete	09/15/2000
C172	Sampling Freshly Mixed Concrete	09/15/2000
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	09/15/2000
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	01/23/2012
C642	Density, Absorption, and Voids in Hardened Concrete	06/15/2026
C1064	Temperature of Freshly Mixed Portland Cement Concrete	09/15/2000
C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	02/01/2017
C1542	Measuring Length of Concrete Cores	06/19/2014