



# CERTIFICATE OF ACCREDITATION



## Certerra RMA Group

in

## Rancho Cordova, California, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories ([aashtoresource.org](https://aashtoresource.org)).

A handwritten signature in black ink, appearing to read 'Jim Tymon', written over a horizontal line.

Jim Tymon,  
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', written over a horizontal line.

Matt Linneman,  
AASHTO COMP Chair

This certificate was generated on 06/12/2026 at 2:06 PM Eastern Time. Please confirm the current accreditation status of this laboratory at [aashtoresource.org/aap/accreditation-directory](https://aashtoresource.org/aap/accreditation-directory)



# SCOPE OF AASHTO ACCREDITATION FOR:

Certerra RMA Group

in Rancho Cordova, California, USA

## Quality Management System

Standard:		Accredited Since:
R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	01/04/2016
ISO/IEC 17025	General Requirements for the Competence of Testing and Calibration Laboratories	02/20/2019
C1077 (Aggregate)	Laboratories Testing Concrete and Concrete Aggregates	01/04/2016
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	12/22/2021
C1093 (Masonry)	Accreditation of Testing Agencies for Unit Masonry	07/30/2025
D3666 (Aggregate)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	01/04/2016
D3666 (Asphalt Mixture)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	01/04/2016
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	01/04/2016
E329 (Aggregate)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/04/2016
E329 (Asphalt Mixture)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/04/2016
E329 (Concrete)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	12/22/2021
E329 (Masonry)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	07/30/2025
E329 (Soil)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/04/2016
E329 (Sprayed Fire-Resistive Material)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/04/2016



# SCOPE OF AASHTO ACCREDITATION FOR:

Certerra RMA Group

in Rancho Cordova, California, USA

## Asphalt Mixture

### Standard:

### Accredited Since:

R47	Reducing Samples of Hot-Mix Asphalt to Testing Size	01/04/2016
R68	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	01/04/2016
T30	Mechanical Analysis of Extracted Aggregate	01/04/2016
T164	Quantitative Extraction of Asphalt Binder from Hot Mix Asphalt (HMA)	01/04/2016
T166	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	01/04/2016
T209	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	01/04/2016
T245	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	01/04/2016
T246	Resistance to Deformation and Cohesion of Bituminous Mixtures by Means of Hveem Apparatus	01/04/2016
T247	Preparation of Test Specimens of Bituminous Mixtures by Means of California Kneading Compactor	01/04/2016
T269	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	01/04/2016
T275	Bulk Specific Gravity of Compacted Bituminous Mixtures Using Paraffin-Coated Specimens	01/04/2016
T283	Resistance of Compacted Mixtures to Moisture Induced Damage	01/04/2016
T308	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	01/04/2016
T312	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyrotory Compactor	01/04/2016
T329	Moisture Content of Hot-Mix Asphalt (HMA) by Oven Method	01/04/2016
T355	Density of Bituminous Concrete In Place by Nuclear Methods	07/21/2021
D1560 (Stability)	Resistance to Deformation of Bituminous Mixtures by Means of Hveem Apparatus	01/04/2016
D1561	Preparation of Test Specimens of Bituminous Mixtures by Means of California Kneading Compactor	01/04/2016
D2041	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	01/04/2016
D2172	Quantitative Extraction of Asphalt Binder from Hot Mix Asphalt (HMA)	01/04/2016
D2726	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	01/04/2016
D2950	Density of Bituminous Concrete In Place by Nuclear Methods	01/04/2016
D3203	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	01/04/2016



# SCOPE OF AASHTO ACCREDITATION FOR:

Certerra RMA Group

in Rancho Cordova, California, USA

## Asphalt Mixture (Continued)

Standard:		Accredited Since:
D3549	Thickness or Height of Compacted Bituminous Paving Mixture Specimens	07/21/2021
D4867	Resistance of Compacted Mixtures to Moisture Induced Damage	01/04/2016
D5444	Mechanical Analysis of Extracted Aggregate	01/04/2016
D6307	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	01/04/2016
D6925	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyrotory Compactor	01/04/2016
D6926	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	01/04/2016
D6927	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	01/04/2016



# SCOPE OF AASHTO ACCREDITATION FOR:

Certerra RMA Group

in Rancho Cordova, California, USA

## Soil

### Standard:

### Accredited Since:

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	01/04/2016
T88	Particle Size Analysis of Soils by Hydrometer	01/04/2016
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	01/04/2016
T90	Plastic Limit of Soils (Atterberg Limits)	01/04/2016
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	01/04/2016
T100	Specific Gravity of Soils	06/16/2015
T134	Moisture-Density Relations of Soil-Cement Mixtures	01/04/2016
T135	Wetting-and-Drying Test of Compacted Soil-Cement Mixtures	02/06/2024
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	01/04/2016
T190	Resistance R-Value and Expansion Pressure of Compacted Soils	01/04/2016
T191	Density of Soil In-Place by the Sand Cone Method	01/04/2016
T265	Laboratory Determination of Moisture Content of Soils	01/04/2016
T310	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	01/04/2016
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	01/04/2016
D422	Particle Size Analysis of Soils by Hydrometer	01/04/2016
D558	Moisture-Density Relations of Soil-Cement Mixtures	01/04/2016
D559	Wetting-and-Drying Test of Compacted Soil-Cement Mixtures	02/06/2024
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	01/04/2016
D854	Specific Gravity of Soils	06/16/2015
D1140	Amount of Material in Soils Finer than the No. 200 (75- $\mu$ m) Sieve	01/04/2016
D1556	Density of Soil In-Place by the Sand Cone Method	01/04/2016
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	01/04/2016
D1633	Compressive Strength of Molded Soil-Cement Cylinders	02/06/2024



# SCOPE OF AASHTO ACCREDITATION FOR:

Certerra RMA Group

in Rancho Cordova, California, USA

## Soil (Continued)

<b>Standard:</b>	<b>Accredited Since:</b>
D2216 Laboratory Determination of Moisture Content of Soils	01/04/2016
D2487 Classification of Soils for Engineering Purposes (Unified Soil Classification System)	01/04/2016
D2488 Description and Identification of Soils (Visual-Manual Procedure)	01/04/2016
D2844 Resistance R-Value and Expansion Pressure of Compacted Soils	01/04/2016
D4318 Determining the Liquid Limit of Soils (Atterberg Limits)	01/04/2016
D4318 Plastic Limit of Soils (Atterberg Limits)	01/04/2016
D4643 Determination of Water (Moisture) Content of Soil by Microwave Oven Heating	01/04/2016
D4718 Oversize Particle Correction	01/04/2016
D4829 Expansion Index of Soils	01/04/2016
D6913 Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis	07/21/2021
D6938 In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	01/04/2016



# SCOPE OF AASHTO ACCREDITATION FOR:

Certerra RMA Group

in Rancho Cordova, California, USA

## Aggregate

### Standard:

### Accredited Since:

R76	Reducing Samples of Aggregate to Testing Size	01/04/2016
R90	Sampling Aggregate	01/04/2016
T11	Materials Finer Than 75- $\mu$ m (No. 200) Sieve in Mineral Aggregates by Washing	01/04/2016
T19	Bulk Density ("Unit Weight") and Voids in Aggregate	01/04/2016
T21	Organic Impurities in Fine Aggregates for Concrete	01/04/2016
T27	Sieve Analysis of Fine and Coarse Aggregates	01/04/2016
T37	Sieve Analysis of Mineral Filler for Road and Paving Materials	01/04/2016
T84	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	01/04/2016
T85	Specific Gravity and Absorption of Coarse Aggregate	01/04/2016
T96	Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	01/04/2016
T104	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	01/04/2016
T112	Clay Lumps and Friable Particles in Aggregate	01/04/2016
T113	Lightweight Pieces in Aggregate	01/04/2016
T176	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	01/04/2016
T210	Aggregate Durability Index	01/04/2016
T255	Total Moisture Content of Aggregate by Drying	01/04/2016
T304	Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	01/04/2016
T335	Determining the Percentage of Fractured Particles in Coarse Aggregate	01/04/2016
C29	Bulk Density ("Unit Weight") and Voids in Aggregate	01/04/2016
C40	Organic Impurities in Fine Aggregates for Concrete	01/04/2016
C88	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	01/04/2016
C117	Materials Finer Than 75- $\mu$ m (No. 200) Sieve in Mineral Aggregates by Washing	01/04/2016
C123	Lightweight Pieces in Aggregate	01/04/2016



# SCOPE OF AASHTO ACCREDITATION FOR:

Certerra RMA Group

in Rancho Cordova, California, USA

## Aggregate (Continued)

<b>Standard:</b>	<b>Accredited Since:</b>
C127 Specific Gravity and Absorption of Coarse Aggregate	01/04/2016
C128 Specific Gravity (Relative Density) and Absorption of Fine Aggregate	01/04/2016
C131 Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	01/04/2016
C136 Sieve Analysis of Fine and Coarse Aggregates	01/04/2016
C142 Clay Lumps and Friable Particles in Aggregate	01/04/2016
C535 Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	01/04/2016
C566 Total Moisture Content of Aggregate by Drying	01/04/2016
C702 Reducing Samples of Aggregate to Testing Size	01/04/2016
C1252 Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	01/04/2016
D75 Sampling Aggregate	01/04/2016
D546 Sieve Analysis of Mineral Filler for Road and Paving Materials	01/04/2016
D2419 Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	01/04/2016
D3744 Aggregate Durability Index	01/04/2016
D4791 Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate	01/04/2016
D5821 Determining the Percentage of Fractured Particles in Coarse Aggregate	01/04/2016



# SCOPE OF AASHTO ACCREDITATION FOR:

Certerra RMA Group

in Rancho Cordova, California, USA

## Sprayed Fire-Resistive Material

### Standard:

### Accredited Since:

E605 Thickness and Density of Sprayed Fire-Resistive Material(SFRM) Applied to Structural Members

01/04/2016

E736 Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members

03/20/2017



# SCOPE OF AASHTO ACCREDITATION FOR:

Certerra RMA Group

in Rancho Cordova, California, USA

## Iron and Steel

**Standard:**

**Accredited Since:**

M31-T244	Carbon-Steel Bars, Deformed and Plain: Tension (Elongation)	01/08/2024
M31-T244	Carbon-Steel Bars, Deformed and Plain: Tension (Ultimate Tensile Strength)	01/08/2024
M31-T244	Carbon-Steel Bars, Deformed and Plain: Tension (Yield Strength)	01/08/2024
M31-T285	Carbon-Steel Bars, Deformed and Plain: Bend Test	01/08/2024
A615	Carbon-Steel Bars, Deformed and Plain: Unit Weight	01/08/2024
A706	Low Alloy Steel Bars, Deformed and Plain: Unit Weight	01/08/2024
A615-A370	Carbon-Steel Bars, Deformed and Plain: Tension (Elongation)	01/08/2024
A615-A370	Carbon-Steel Bars, Deformed and Plain: Tension (Ultimate Tensile Strength)	01/08/2024
A615-A370	Carbon-Steel Bars, Deformed and Plain: Tension (Yield Strength)	01/08/2024
A615-E290	Carbon-Steel Bars, Deformed and Plain: Bend Test	01/08/2024
A706-A370	Low Alloy Steel Bars, Deformed and Plain: Tension (Elongation)	01/08/2024
A706-A370	Low Alloy Steel Bars, Deformed and Plain: Tension (Ultimate Tensile Strength)	01/08/2024
A706-A370	Low Alloy Steel Bars, Deformed and Plain: Tension (Yield Strength)	01/08/2024
A706-E290	Low Alloy Steel Bars, Deformed and Plain: Bend Test	01/08/2024
A970-A370	Headed Steel Bars: Tension (Elongation)	01/31/2019
A970-A370	Headed Steel Bars: Tension (Ultimate Tensile Strength)	01/31/2019
A970-A370	Headed Steel Bars: Tension (Yield Strength)	01/31/2019
A615-A1034	Carbon-Steel Bars, Deformed and Plain: Testing Mechanical Splices	01/31/2019
A706-A1034	Low Alloy Steel Bars, Deformed and Plain: Testing Mechanical Splices	01/31/2019
A615-CT670	Carbon-Steel Bars, Deformed and Plain: Testing Mechanical and Welded Splices	01/31/2019
A706-CT670	Low Alloy Steel Bars, Deformed and Plain: Testing Mechanical and Welded Splices	01/31/2019



# SCOPE OF AASHTO ACCREDITATION FOR:

Certerra RMA Group

in Rancho Cordova, California, USA

## Concrete

Standard:		Accredited Since:
M201	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	12/22/2021
R39	Making and Curing Concrete Test Specimens in the Laboratory	12/22/2021
R60	Sampling Freshly Mixed Concrete	12/22/2021
R100 (Beams)	Making and Curing Concrete Test Specimens in the Field	12/22/2021
R100 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	12/22/2021
T22	Compressive Strength of Cylindrical Concrete Specimens	12/22/2021
T24 (Testing Drilled Cores of Concrete)	Testing Drilled Cores of Concrete	12/22/2021
T97	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	12/22/2021
T119	Slump of Hydraulic Cement Concrete	12/22/2021
T121	Density (Unit Weight), Yield, and Air Content of Concrete	12/22/2021
T152	Air Content of Freshly Mixed Concrete by the Pressure Method	12/22/2021
T160	Length Change of Hardened Hydraulic-Cement, Mortar, and Concrete	12/22/2021
T196	Air Content of Freshly Mixed Concrete by the Volumetric Method	12/22/2021
T231 (7000 psi and below)	Capping Cylindrical Concrete Specimens	12/22/2021
T309	Temperature of Freshly Mixed Portland Cement Concrete	12/22/2021
C31 (Beams)	Making and Curing Concrete Test Specimens in the Field	12/22/2021
C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	12/22/2021
C39	Compressive Strength of Cylindrical Concrete Specimens	12/22/2021
C42 (Testing Drilled Cores of Concrete)	Testing Drilled Cores of Concrete	12/22/2021
C78	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	12/22/2021
C138	Density (Unit Weight), Yield, and Air Content of Concrete	12/22/2021
C143	Slump of Hydraulic Cement Concrete	12/22/2021
C157	Length Change of Hardened Hydraulic-Cement, Mortar, and Concrete	12/22/2021



# SCOPE OF AASHTO ACCREDITATION FOR:

Certerra RMA Group

in Rancho Cordova, California, USA

## Concrete (Continued)

Standard:		Accredited Since:
C172	Sampling Freshly Mixed Concrete	12/22/2021
C173	Air Content of Freshly Mixed Concrete by the Volumetric Method	12/22/2021
C192	Making and Curing Concrete Test Specimens in the Laboratory	12/22/2021
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	12/22/2021
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	12/22/2021
C617 (7000 psi and below)	Capping Cylindrical Concrete Specimens	12/22/2021
C642	Density, Absorption, and Voids in Hardened Concrete	02/11/2025
C1064	Temperature of Freshly Mixed Portland Cement Concrete	12/22/2021
C1140 (Obtaining and Testing Specimens)	Preparing and Testing Specimens from Shotcrete Test Panels	12/22/2021
C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	12/22/2021
C1542	Measuring Length of Concrete Cores	12/22/2021
C1604	Standard Test Method for Obtaining and Testing Drilled Cores of Shotcrete	12/22/2021



# SCOPE OF AASHTO ACCREDITATION FOR:

Certerra RMA Group

in Rancho Cordova, California, USA

## Masonry

### Standard:

### Accredited Since:

C140 (Concrete Masonry Units)	Sampling and Testing Concrete Masonry Units and Related Units	12/22/2021
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	12/22/2021
C780 (Annex 1)	Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Consistency by Cone Penetration	12/22/2021
C780 (Annex 6 - Cubes)	Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Compressive Strength of Cubes	12/22/2021
C780 (Annex 6 - Cylinders)	Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Compressive Strength of Cylinders	12/22/2021
C1019	Sampling and Testing Grout	12/22/2021
C1314	Compressive Strength of Masonry Prisms	12/22/2021
C1552	Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing	12/22/2021



# SCOPE OF AASHTO ACCREDITATION FOR:

Certerra RMA Group

in Rancho Cordova, California, USA

## Ultra-High Performance Concrete (UHPC)

### Standard:

### Accredited Since:

C1856-C39 Compressive Strength of Cylindrical Ultra-High Performance Concrete Specimens

12/22/2021

C1856-C511 Curing Specimens of Ultra-High Performance Concrete

01/09/2025