



CERTIFICATE OF ACCREDITATION



K & S Engineers, Inc.

in

Beech Grove, Indiana, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

A handwritten signature in black ink, appearing to read 'Jim Tymon', written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', written over a horizontal line.

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 05/03/2026 at 10:25 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

K & S Engineers, Inc.

in Beech Grove, Indiana, USA

Quality Management System

Standard:

R18 Establishing and Implementing a Quality System for Construction Materials Testing Laboratories

Accredited Since:

03/09/2010



SCOPE OF AASHTO ACCREDITATION FOR:

K & S Engineers, Inc.

in Beech Grove, Indiana, USA

Soil

Standard:

Accredited Since:

| | | |
|-----------------|---|------------|
| R58 | Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test | 03/09/2010 |
| T88 | Particle Size Analysis of Soils by Hydrometer | 03/09/2010 |
| T89 | Determining the Liquid Limit of Soils (Atterberg Limits) | 03/09/2010 |
| T90 | Plastic Limit of Soils (Atterberg Limits) | 03/09/2010 |
| T99 | The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop | 03/09/2010 |
| T100 | Specific Gravity of Soils | 03/09/2010 |
| T180 | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop | 07/19/2024 |
| T208 | Unconfined Compressive Strength of Cohesive Soil | 03/09/2010 |
| T216 | One-Dimensional Consolidation Properties of Soils Using Incremental Loading | 03/09/2010 |
| T265 | Laboratory Determination of Moisture Content of Soils | 03/09/2010 |
| T267 | Determination of Organic Content in Soils by Loss on Ignition | 03/09/2010 |
| T289 | pH of Soils for Corrosion Testing | 10/04/2013 |
| T290 (Method B) | Determining Water-Soluble Sulfate Ion Content in Soil | 07/19/2024 |
| T311 | Grain-Size Analysis of Granular Soil Materials | 10/04/2013 |
| D1140 | Amount of Material in Soils Finer than the No. 200 (75- μ m) Sieve | 03/09/2010 |
| D2487 | Classification of Soils for Engineering Purposes (Unified Soil Classification System) | 03/09/2010 |
| D2488 | Description and Identification of Soils (Visual-Manual Procedure) | 03/09/2010 |
| D4643 | Determination of Water (Moisture) Content of Soil by Microwave Oven Heating | 04/23/2021 |



SCOPE OF AASHTO ACCREDITATION FOR:

K & S Engineers, Inc.

in Beech Grove, Indiana, USA

Aggregate

Standard:

Accredited Since:

| | |
|---|------------|
| R76 Reducing Samples of Aggregate to Testing Size | 07/19/2024 |
| R90 Sampling Aggregate | 07/19/2024 |
| T11 Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing | 05/17/2016 |
| T27 Sieve Analysis of Fine and Coarse Aggregates | 05/17/2016 |
| T255 Total Moisture Content of Aggregate by Drying | 04/23/2021 |