



# CERTIFICATE OF ACCREDITATION



## Rock Road Companies, Inc.

in

### Janesville, Wisconsin, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories ([aashtoresource.org](https://aashtoresource.org)).

Jim Tymon,  
AASHTO Executive Director

Matt Linneman,  
AASHTO COMP Chair

This certificate was generated on 10/28/2026 at 4:01 AM Eastern Time. Please confirm the current accreditation status of this laboratory at [aashtoresource.org/aap/accreditation-directory](https://aashtoresource.org/aap/accreditation-directory)



# SCOPE OF AASHTO ACCREDITATION FOR:

Rock Road Companies, Inc.

in Janesville, Wisconsin, USA

## Quality Management System

### Standard:

### Accredited Since:

|                         |                                                                                                |            |
|-------------------------|------------------------------------------------------------------------------------------------|------------|
| R18                     | Establishing and Implementing a Quality System for Construction Materials Testing Laboratories | 02/03/2020 |
| D3666 (Aggregate)       | Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials             | 02/03/2020 |
| D3666 (Asphalt Mixture) | Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials             | 02/03/2020 |



# SCOPE OF AASHTO ACCREDITATION FOR:

Rock Road Companies, Inc.

in Janesville, Wisconsin, USA

## Asphalt Mixture

### Standard:

### Accredited Since:

|       |                                                                                                                       |            |
|-------|-----------------------------------------------------------------------------------------------------------------------|------------|
| R30   | Mixture Conditioning of Hot Mix Asphalt (HMA)                                                                         | 02/03/2020 |
| R35   | Superpave Volumetric Design for Hot Mix Asphalt (HMA)                                                                 | 02/03/2020 |
| R47   | Reducing Samples of Hot-Mix Asphalt to Testing Size                                                                   | 02/03/2020 |
| T30   | Mechanical Analysis of Extracted Aggregate                                                                            | 02/03/2020 |
| T166  | Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens                              | 02/03/2020 |
| T209  | Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures                                                           | 02/03/2020 |
| T269  | Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures                                              | 02/03/2020 |
| T283  | Resistance of Compacted Mixtures to Moisture Induced Damage                                                           | 02/03/2020 |
| T305  | Draindown Characteristics of HMA                                                                                      | 02/03/2020 |
| T308  | Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method                                       | 02/03/2020 |
| T312  | Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor | 02/03/2020 |
| T324  | Hamburg Wheel-Track Testing of Compacted Hot-Mix Asphalt (HMA)                                                        | 02/03/2020 |
| D2041 | Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures                                                           | 02/03/2020 |
| D2726 | Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens                              | 02/03/2020 |
| D3203 | Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures                                              | 02/03/2020 |
| D3549 | Thickness or Height of Compacted Bituminous Paving Mixture Specimens                                                  | 02/03/2020 |
| D4867 | Resistance of Compacted Mixtures to Moisture Induced Damage                                                           | 02/03/2020 |
| D5444 | Mechanical Analysis of Extracted Aggregate                                                                            | 02/03/2020 |
| D6307 | Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method                                       | 02/03/2020 |
| D6390 | Draindown Characteristics of HMA                                                                                      | 02/03/2020 |
| D6925 | Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor | 02/03/2020 |
| D8159 | Automated Extraction of Asphalt Binder from Asphalt Mixtures                                                          | 08/24/2021 |



# SCOPE OF AASHTO ACCREDITATION FOR:

Rock Road Companies, Inc.

in Janesville, Wisconsin, USA

## Soil

### Standard:

### Accredited Since:

|       |                                                                                                   |            |
|-------|---------------------------------------------------------------------------------------------------|------------|
| T99   | The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop | 02/03/2020 |
| T180  | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop    | 02/03/2020 |
| D698  | The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop | 02/03/2020 |
| D1557 | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop    | 02/03/2020 |



# SCOPE OF AASHTO ACCREDITATION FOR:

Rock Road Companies, Inc.

in Janesville, Wisconsin, USA

## Aggregate

### Standard:

### Accredited Since:

|                       |                                                                                                         |            |
|-----------------------|---------------------------------------------------------------------------------------------------------|------------|
| R76                   | Reducing Samples of Aggregate to Testing Size                                                           | 02/03/2020 |
| R90                   | Sampling Aggregate                                                                                      | 02/03/2020 |
| T11                   | Materials Finer Than 75- $\mu$ m (No. 200) Sieve in Mineral Aggregates by Washing                       | 02/03/2020 |
| T27                   | Sieve Analysis of Fine and Coarse Aggregates                                                            | 02/03/2020 |
| T84                   | Specific Gravity (Relative Density) and Absorption of Fine Aggregate                                    | 02/03/2020 |
| T85                   | Specific Gravity and Absorption of Coarse Aggregate                                                     | 02/03/2020 |
| T96                   | Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine | 02/03/2020 |
| T100 (Mineral Filler) | Specific Gravity of Mineral Filler on Asphalt Mixture Designs                                           | 02/03/2020 |
| T103                  | Soundness of Aggregates by Freezing and Thawing                                                         | 11/20/2024 |
| T104                  | Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate                                    | 02/03/2020 |
| T113                  | Lightweight Pieces in Aggregate                                                                         | 02/03/2020 |
| T255                  | Total Moisture Content of Aggregate by Drying                                                           | 02/03/2020 |
| T327                  | Resistance to Abrasion by Micro-Deval (Coarse Aggregate)                                                | 02/03/2020 |
| T335                  | Determining the Percentage of Fractured Particles in Coarse Aggregate                                   | 02/03/2020 |
| C88                   | Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate                                    | 02/03/2020 |
| C117                  | Materials Finer Than 75- $\mu$ m (No. 200) Sieve in Mineral Aggregates by Washing                       | 02/03/2020 |
| C123                  | Lightweight Pieces in Aggregate                                                                         | 02/03/2020 |
| C127                  | Specific Gravity and Absorption of Coarse Aggregate                                                     | 02/03/2020 |
| C128                  | Specific Gravity (Relative Density) and Absorption of Fine Aggregate                                    | 02/03/2020 |
| C131                  | Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine | 02/03/2020 |
| C136                  | Sieve Analysis of Fine and Coarse Aggregates                                                            | 02/03/2020 |
| C566                  | Total Moisture Content of Aggregate by Drying                                                           | 02/03/2020 |
| C702                  | Reducing Samples of Aggregate to Testing Size                                                           | 02/03/2020 |



# SCOPE OF AASHTO ACCREDITATION FOR:

Rock Road Companies, Inc.

in Janesville, Wisconsin, USA

## Aggregate (Continued)

### Standard:

### Accredited Since:

|       |                                                                       |            |
|-------|-----------------------------------------------------------------------|------------|
| D75   | Sampling Aggregate                                                    | 02/03/2020 |
| D5821 | Determining the Percentage of Fractured Particles in Coarse Aggregate | 02/03/2020 |
| D6928 | Resistance to Abrasion by Micro-Deval (Coarse Aggregate)              | 02/03/2020 |