



CERTIFICATE OF ACCREDITATION



Russell Standard Corporation

in

Chambersburg, Pennsylvania, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

A handwritten signature in black ink, appearing to read 'Jim Tymon', is written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', is written over a horizontal line.

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 10/28/2026 at 4:03 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

Russell Standard Corporation

in Chambersburg, Pennsylvania, USA

Quality Management System

Standard:

R18 Establishing and Implementing a Quality System for Construction Materials Testing Laboratories

Accredited Since:

11/15/2023



SCOPE OF AASHTO ACCREDITATION FOR:

Russell Standard Corporation

in Chambersburg, Pennsylvania, USA

Asphalt Binder

Standard:

Accredited Since:

T49	Penetration of Original Sample of Asphalt Cement	11/15/2023
T53	Softening Point of Bitumen (Ring-and-Ball Apparatus)	11/15/2023
T301	Elastic Recovery Test of Bituminous Materials by Means of a Ductilometer	11/15/2023



SCOPE OF AASHTO ACCREDITATION FOR:

Russell Standard Corporation

in Chambersburg, Pennsylvania, USA

Emulsified Asphalt

Standard:

Accredited Since:

T59	Demulsibility	11/15/2023
T59	Residue by Evaporation	11/15/2023
T59	Sieve Test	11/15/2023
T382	Viscosity of Emulsified Asphalts Using Rotational Paddle Viscometer at 25°C (77°F)	11/15/2023
T382	Viscosity of Emulsified Asphalts Using Rotational Paddle Viscometer at 50°C (122°F)	11/15/2023
T59-T72	Saybolt Furol Viscosity at 25°C (77°F)	11/15/2023
T59-T72	Saybolt Furol Viscosity at 50°C (122°F)	11/15/2023