



CERTIFICATE OF ACCREDITATION



Granite Construction Company

in

Yakima, Washington, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

A handwritten signature in black ink, appearing to read 'Jim Tymon', is written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', is written over a horizontal line.

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 08/11/2026 at 10:14 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

Granite Construction Company
in Yakima, Washington, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	04/19/2013
D3666 (Aggregate)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	04/19/2013
D3666 (Asphalt Mixture)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	04/19/2013



SCOPE OF AASHTO ACCREDITATION FOR:

Granite Construction Company

in Yakima, Washington, USA

Asphalt Mixture

Standard:

Accredited Since:

R30	Mixture Conditioning of Hot Mix Asphalt (HMA)	10/03/2025
R35	Superpave Volumetric Design for Hot Mix Asphalt (HMA)	11/06/2025
R47	Reducing Samples of Hot-Mix Asphalt to Testing Size	04/19/2013
R97	Sampling Bituminous Paving Mixtures	02/02/2023
T30	Mechanical Analysis of Extracted Aggregate	04/19/2013
T166	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	04/19/2013
T209	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	04/19/2013
T269	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	04/19/2013
T275	Bulk Specific Gravity of Compacted Bituminous Mixtures Using Paraffin-Coated Specimens	09/18/2015
T305	Draindown Characteristics of HMA	09/18/2015
T308	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	04/19/2013
T312	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	04/19/2013
T329	Moisture Content of Hot-Mix Asphalt (HMA) by Oven Method	04/19/2013
T355	Density of Bituminous Concrete In Place by Nuclear Methods	12/12/2019
D979	Sampling Bituminous Paving Mixtures	12/12/2019
D2041	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	04/19/2013
D2726	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	04/19/2013
D2950	Density of Bituminous Concrete In Place by Nuclear Methods	10/24/2017
D3203	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	04/19/2013
D3549	Thickness or Height of Compacted Bituminous Paving Mixture Specimens	12/12/2019
D4867	Resistance of Compacted Mixtures to Moisture Induced Damage	09/18/2015
D5444	Mechanical Analysis of Extracted Aggregate	04/19/2013
D6307	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	04/19/2013



SCOPE OF AASHTO ACCREDITATION FOR:

Granite Construction Company
in Yakima, Washington, USA

Asphalt Mixture (Continued)

Standard:

Accredited Since:

D6390 Draindown Characteristics of HMA	09/18/2015
D6925 Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	04/19/2013
D6931 Indirect Tensile Strength (IDT)	09/18/2015



SCOPE OF AASHTO ACCREDITATION FOR:

Granite Construction Company

in Yakima, Washington, USA

Soil

Standard:

Accredited Since:

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	10/24/2017
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	09/18/2015
T90	Plastic Limit of Soils (Atterberg Limits)	09/18/2015
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	09/18/2015
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	09/18/2015
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	10/24/2017
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	09/18/2015
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	09/18/2015
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	09/18/2015
D4318	Plastic Limit of Soils (Atterberg Limits)	09/18/2015



SCOPE OF AASHTO ACCREDITATION FOR:

Granite Construction Company
in Yakima, Washington, USA

Aggregate

Standard:

Accredited Since:

R76	Reducing Samples of Aggregate to Testing Size	04/19/2013
R90	Sampling Aggregate	04/19/2013
T11	Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	04/19/2013
T19	Bulk Density ("Unit Weight") and Voids in Aggregate	04/19/2013
T27	Sieve Analysis of Fine and Coarse Aggregates	05/04/2018
T84	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	04/19/2013
T85	Specific Gravity and Absorption of Coarse Aggregate	04/19/2013
T100 (Mineral Filler)	Specific Gravity of Mineral Filler on Asphalt Mixture Designs	11/06/2025
T112	Clay Lumps and Friable Particles in Aggregate	04/19/2013
T176	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	04/19/2013
T255	Total Moisture Content of Aggregate by Drying	04/19/2013
T304	Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	04/19/2013
T335	Determining the Percentage of Fractured Particles in Coarse Aggregate	09/18/2015
C29	Bulk Density ("Unit Weight") and Voids in Aggregate	04/19/2013
C117	Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	04/19/2013
C127	Specific Gravity and Absorption of Coarse Aggregate	04/19/2013
C128	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	04/19/2013
C136	Sieve Analysis of Fine and Coarse Aggregates	05/04/2018
C142	Clay Lumps and Friable Particles in Aggregate	04/19/2013
C566	Total Moisture Content of Aggregate by Drying	04/19/2013
C702	Reducing Samples of Aggregate to Testing Size	04/19/2013
C1252	Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	04/19/2013
D75	Sampling Aggregate	04/19/2013



SCOPE OF AASHTO ACCREDITATION FOR:

Granite Construction Company

in Yakima, Washington, USA

Aggregate (Continued)

Standard:

Accredited Since:

D2419	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	04/19/2013
D4791	Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate	04/19/2013
D5821	Determining the Percentage of Fractured Particles in Coarse Aggregate	04/19/2013