



CERTIFICATE OF ACCREDITATION



Quality Construction Testing Services LLC

in

Wadsworth, Nevada, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

A handwritten signature in black ink, appearing to read 'Jim Tymon', written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', written over a horizontal line.

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 06/06/2026 at 5:56 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

Quality Construction Testing Services LLC
in Wadsworth, Nevada, USA

Quality Management System

Standard:

Accredited Since:

| | | |
|-------------------------|--|------------|
| R18 | Establishing and Implementing a Quality System for Construction Materials Testing Laboratories | 12/05/2025 |
| D3666 (Aggregate) | Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials | 12/05/2025 |
| D3666 (Asphalt Mixture) | Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials | 12/05/2025 |
| D3740 (Soil) | Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction | 02/19/2026 |



SCOPE OF AASHTO ACCREDITATION FOR:

Quality Construction Testing Services LLC
in Wadsworth, Nevada, USA

Asphalt Mixture

Standard:

Accredited Since:

| | | |
|---------------|--|------------|
| R47 | Reducing Samples of Hot-Mix Asphalt to Testing Size | 12/05/2025 |
| R97 | Sampling Bituminous Paving Mixtures | 12/05/2025 |
| T30 | Mechanical Analysis of Extracted Aggregate | 12/05/2025 |
| T166 (Cores) | Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens (Cores) | 12/05/2025 |
| T209 | Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures | 12/05/2025 |
| T269 | Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures | 12/05/2025 |
| T308 | Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method | 12/05/2025 |
| T355 | Density of Bituminous Concrete In Place by Nuclear Methods | 12/05/2025 |
| D979 | Sampling Bituminous Paving Mixtures | 12/05/2025 |
| D2041 | Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures | 12/05/2025 |
| D2726 (Cores) | Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens (Cores) | 12/05/2025 |
| D2950 | Density of Bituminous Concrete In Place by Nuclear Methods | 12/05/2025 |
| D3203 | Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures | 12/05/2025 |
| D5444 | Mechanical Analysis of Extracted Aggregate | 12/05/2025 |
| D6307 | Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method | 12/05/2025 |



SCOPE OF AASHTO ACCREDITATION FOR:

Quality Construction Testing Services LLC
in Wadsworth, Nevada, USA

Soil

Standard:

Accredited Since:

| | | |
|-------|---|------------|
| R58 | Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test | 12/05/2025 |
| T89 | Determining the Liquid Limit of Soils (Atterberg Limits) | 12/05/2025 |
| T90 | Plastic Limit of Soils (Atterberg Limits) | 12/05/2025 |
| T180 | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop | 12/05/2025 |
| T191 | Density of Soil In-Place by the Sand Cone Method | 12/05/2025 |
| T265 | Laboratory Determination of Moisture Content of Soils | 12/05/2025 |
| T310 | In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth) | 12/05/2025 |
| D421 | Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test | 12/05/2025 |
| D1556 | Density of Soil In-Place by the Sand Cone Method | 12/05/2025 |
| D1557 | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop | 12/05/2025 |
| D2216 | Laboratory Determination of Moisture Content of Soils | 12/05/2025 |
| D4318 | Determining the Liquid Limit of Soils (Atterberg Limits) | 12/05/2025 |
| D4318 | Plastic Limit of Soils (Atterberg Limits) | 12/05/2025 |
| D6938 | In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth) | 12/05/2025 |



SCOPE OF AASHTO ACCREDITATION FOR:

Quality Construction Testing Services LLC
in Wadsworth, Nevada, USA

Aggregate

Standard:

Accredited Since:

| | | |
|-------|---|------------|
| R76 | Reducing Samples of Aggregate to Testing Size | 12/05/2025 |
| R90 | Sampling Aggregate | 12/05/2025 |
| T11 | Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing | 12/05/2025 |
| T27 | Sieve Analysis of Fine and Coarse Aggregates | 12/05/2025 |
| T84 | Specific Gravity (Relative Density) and Absorption of Fine Aggregate | 12/05/2025 |
| T85 | Specific Gravity and Absorption of Coarse Aggregate | 12/05/2025 |
| T176 | Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test | 12/05/2025 |
| T335 | Determining the Percentage of Fractured Particles in Coarse Aggregate | 12/05/2025 |
| C117 | Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing | 12/05/2025 |
| C127 | Specific Gravity and Absorption of Coarse Aggregate | 12/05/2025 |
| C128 | Specific Gravity (Relative Density) and Absorption of Fine Aggregate | 12/05/2025 |
| C136 | Sieve Analysis of Fine and Coarse Aggregates | 12/05/2025 |
| C702 | Reducing Samples of Aggregate to Testing Size | 12/05/2025 |
| D75 | Sampling Aggregate | 12/05/2025 |
| D2419 | Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test | 12/05/2025 |
| D5821 | Determining the Percentage of Fractured Particles in Coarse Aggregate | 12/05/2025 |