



CERTIFICATE OF ACCREDITATION



Goodwyn Mills Cawood LLC

in

Nashville, Tennessee, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

A handwritten signature in black ink, appearing to read 'Jim Tymon', written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', written over a horizontal line.

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 04/27/2026 at 7:06 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

Goodwyn Mills Cawood LLC

in Nashville, Tennessee, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	03/06/2015
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	03/06/2015
E329 (Concrete)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	02/03/2020



SCOPE OF AASHTO ACCREDITATION FOR:

Goodwyn Mills Cawood LLC

in Nashville, Tennessee, USA

Concrete

Standard:

Accredited Since:

C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	09/21/2016
C39	Compressive Strength of Cylindrical Concrete Specimens	03/06/2015
C138	Density (Unit Weight), Yield, and Air Content of Concrete	03/06/2015
C143	Slump of Hydraulic Cement Concrete	03/06/2015
C172	Sampling Freshly Mixed Concrete	03/06/2015
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	03/06/2015
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	03/06/2015
C1064	Temperature of Freshly Mixed Portland Cement Concrete	03/06/2015
C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	03/06/2015