



CERTIFICATE OF ACCREDITATION



Granite Construction Company

in

Olympia, Washington, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

A handwritten signature in black ink, appearing to read 'Jim Tymon', is written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', is written over a horizontal line.

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 08/11/2026 at 10:13 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

Granite Construction Company

in Olympia, Washington, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	10/14/2015
D3666 (Aggregate)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	10/14/2015
D3666 (Asphalt Mixture)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	10/14/2015



SCOPE OF AASHTO ACCREDITATION FOR:

Granite Construction Company

in Olympia, Washington, USA

Asphalt Mixture

Standard:

Accredited Since:

R30	Mixture Conditioning of Hot Mix Asphalt (HMA)	09/01/2017
R35	Superpave Volumetric Design for Hot Mix Asphalt (HMA)	09/01/2017
R47	Reducing Samples of Hot-Mix Asphalt to Testing Size	10/14/2015
R97	Sampling Bituminous Paving Mixtures	12/30/2022
T30	Mechanical Analysis of Extracted Aggregate	10/14/2015
T166	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	10/14/2015
T209	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	10/14/2015
T269	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	10/14/2015
T275	Bulk Specific Gravity of Compacted Bituminous Mixtures Using Paraffin-Coated Specimens	10/14/2015
T305	Draindown Characteristics of HMA	09/01/2017
T308	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	10/14/2015
T312	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	10/14/2015
T324	Hamburg Wheel-Track Testing of Compacted Hot-Mix Asphalt (HMA)	04/27/2016
T329	Moisture Content of Hot-Mix Asphalt (HMA) by Oven Method	10/14/2015
T355	Density of Bituminous Concrete In Place by Nuclear Methods	02/27/2020
D979	Sampling Bituminous Paving Mixtures	10/14/2015
D2041	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	10/14/2015
D2726	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	10/14/2015
D2950	Density of Bituminous Concrete In Place by Nuclear Methods	02/27/2020
D3203	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	10/14/2015
D3549	Thickness or Height of Compacted Bituminous Paving Mixture Specimens	02/27/2020
D5444	Mechanical Analysis of Extracted Aggregate	10/14/2015
D6307	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	10/14/2015



SCOPE OF AASHTO ACCREDITATION FOR:

Granite Construction Company

in Olympia, Washington, USA

Asphalt Mixture (Continued)

Standard:

Accredited Since:

D6390 Draindown Characteristics of HMA	09/01/2017
D6925 Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	10/14/2015
D6931 Indirect Tensile Strength (IDT)	10/14/2015
D8225 Determination of Cracking Tolerance Index of Asphalt Mixture Using the Indirect Tensile Cracking Test at Intermediate Temperature	12/30/2022



SCOPE OF AASHTO ACCREDITATION FOR:

Granite Construction Company

in Olympia, Washington, USA

Soil

Standard:

Accredited Since:

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	09/01/2017
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	10/14/2015
T90	Plastic Limit of Soils (Atterberg Limits)	10/14/2015
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	10/14/2015
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	10/14/2015
T265	Laboratory Determination of Moisture Content of Soils	02/27/2020
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	02/27/2020
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	10/14/2015
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	10/14/2015
D2216	Laboratory Determination of Moisture Content of Soils	02/27/2020
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	10/14/2015
D4318	Plastic Limit of Soils (Atterberg Limits)	10/14/2015



SCOPE OF AASHTO ACCREDITATION FOR:

Granite Construction Company
in Olympia, Washington, USA

Aggregate

Standard:

Accredited Since:

R76	Reducing Samples of Aggregate to Testing Size	10/14/2015
R90	Sampling Aggregate	10/14/2015
T11	Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	10/14/2015
T19	Bulk Density ("Unit Weight") and Voids in Aggregate	10/14/2015
T27	Sieve Analysis of Fine and Coarse Aggregates	10/14/2015
T37	Sieve Analysis of Mineral Filler for Road and Paving Materials	10/14/2015
T84	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	10/14/2015
T85	Specific Gravity and Absorption of Coarse Aggregate	10/14/2015
T100 (Mineral Filler)	Specific Gravity of Mineral Filler on Asphalt Mixture Designs	09/01/2017
T112	Clay Lumps and Friable Particles in Aggregate	10/14/2015
T176	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	10/14/2015
T255	Total Moisture Content of Aggregate by Drying	10/14/2015
T304	Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	10/14/2015
T335	Determining the Percentage of Fractured Particles in Coarse Aggregate	10/14/2015
C29	Bulk Density ("Unit Weight") and Voids in Aggregate	10/14/2015
C117	Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	10/14/2015
C127	Specific Gravity and Absorption of Coarse Aggregate	10/14/2015
C128	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	10/14/2015
C136	Sieve Analysis of Fine and Coarse Aggregates	10/14/2015
C142	Clay Lumps and Friable Particles in Aggregate	10/14/2015
C566	Total Moisture Content of Aggregate by Drying	10/14/2015
C702	Reducing Samples of Aggregate to Testing Size	10/14/2015
C1252	Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	10/14/2015



SCOPE OF AASHTO ACCREDITATION FOR:

Granite Construction Company

in Olympia, Washington, USA

Aggregate (Continued)

Standard:

Accredited Since:

D75	Sampling Aggregate	10/14/2015
D546	Sieve Analysis of Mineral Filler for Road and Paving Materials	10/14/2015
D2419	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	10/14/2015
D4791	Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate	10/14/2015
D5821	Determining the Percentage of Fractured Particles in Coarse Aggregate	10/14/2015