



# CERTIFICATE OF ACCREDITATION



**Anbessaw Consulting, Inc.**  
dba  
**The Quality Firm**

in

**Pomona, California, USA**

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories ([aashtoresource.org](http://aashtoresource.org)).



---

Jim Tymon,  
AASHTO Executive Director



---

Matt Linneman  
AASHTO COMP Chair



# SCOPE OF AASHTO ACCREDITATION FOR:

Anbessaw Consulting, Inc. dba The Quality Firm  
in Pomona, California, USA

## Quality Management System

### Standard:

### Accredited Since:

|  |  |            |
|--|--|------------|
| R18                                    | Establishing and Implementing a Quality System for Construction Materials Testing Laboratories   | 02/05/2021 |
| ISO/IEC 17025                          | General Requirements for the Competence of Testing and Calibration Laboratories  | 03/08/2023 |
| C1077 (Aggregate)                      | Laboratories Testing Concrete and Concrete Aggregates  | 02/05/2021 |
| C1077 (Concrete)                       | Laboratories Testing Concrete and Concrete Aggregates  | 02/05/2021 |
| D3666 (Aggregate)                      | Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials   | 02/18/2021 |
| D3666 (Asphalt Mixture)                | Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials   | 02/18/2021 |
| D3740 (Soil)                           | Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction | 02/18/2021 |
| E329 (Aggregate)                       | Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction                         | 02/05/2021 |
| E329 (Asphalt Mixture)                 | Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction                         | 02/18/2021 |
| E329 (Concrete)                        | Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction                         | 02/05/2021 |
| E329 (Soil)                            | Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction                         | 02/18/2021 |
| E329 (Sprayed Fire-Resistive Material) | Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction                         | 02/18/2021 |
| E329 (Steel Inspection)                | Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction                         | 01/26/2023 |



## SCOPE OF AASHTO ACCREDITATION FOR:

Anbessaw Consulting, Inc. dba The Quality Firm  
in Pomona, California, USA

### Asphalt Mixture

#### Standard:

#### Accredited Since:

|               |  |            |
|---------------|--|------------|
| T166 (Cores)  | Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens (Cores) | 02/18/2021 |
| T275 (Cores)  | Bulk Specific Gravity of Compacted Bituminous Mixtures Using Paraffin-Coated Specimens (Cores)   | 02/18/2021 |
| T355          | Density of Bituminous Concrete In Place by Nuclear Methods                                       | 02/18/2021 |
| D2726 (Cores) | Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens (Cores) | 02/18/2021 |
| D2950         | Density of Bituminous Concrete In Place by Nuclear Methods                                       | 02/18/2021 |



# SCOPE OF AASHTO ACCREDITATION FOR:

Anbessaw Consulting, Inc. dba The Quality Firm  
in Pomona, California, USA

## Soil

**Standard:****Accredited Since:**

|                 |   |            |
|-----------------|---|------------|
| R58             | Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test                               | 02/18/2021 |
| T88             | Particle Size Analysis of Soils by Hydrometer   | 03/08/2023 |
| T89             | Determining the Liquid Limit of Soils (Atterberg Limits)  | 02/18/2021 |
| T90             | Plastic Limit of Soils (Atterberg Limits)   | 02/18/2021 |
| T99             | The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop   | 02/18/2021 |
| T134            | Moisture-Density Relations of Soil-Cement Mixtures  | 02/18/2021 |
| T180            | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop      | 02/18/2021 |
| T208            | Unconfined Compressive Strength of Cohesive Soil  | 01/26/2023 |
| T265            | Laboratory Determination of Moisture Content of Soils   | 02/18/2021 |
| T288            | Minimum Soil Resistivity  | 01/21/2025 |
| T289            | pH of Soils for Corrosion Testing   | 01/21/2025 |
| T290 (Method B) | Determining Water-Soluble Sulfate Ion Content in Soil   | 01/21/2025 |
| T291            | Determining Water-Soluble Chloride Ion Content in Soil  | 03/07/2025 |
| T310            | In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth) | 02/18/2021 |
| D421            | Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test                               | 02/18/2021 |
| D422            | Particle Size Analysis of Soils by Hydrometer   | 03/08/2023 |
| D558            | Moisture-Density Relations of Soil-Cement Mixtures  | 02/18/2021 |
| D698            | The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop   | 02/18/2021 |
| D1140           | Amount of Material in Soils Finer than the No. 200 (75- $\mu$ m) Sieve                              | 02/18/2021 |
| D1557           | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop      | 02/18/2021 |
| D1633           | Compressive Strength of Molded Soil-Cement Cylinders  | 01/26/2023 |
| D2166           | Unconfined Compressive Strength of Cohesive Soil  | 01/26/2023 |
| D2216           | Laboratory Determination of Moisture Content of Soils   | 02/18/2021 |



# SCOPE OF AASHTO ACCREDITATION FOR:

Anbessaw Consulting, Inc. dba The Quality Firm  
in Pomona, California, USA

## Soil (Continued)

**Standard:****Accredited Since:**

|       |   |            |
|-------|---|------------|
| D2487 | Classification of Soils for Engineering Purposes (Unified Soil Classification System)               | 02/18/2021 |
| D2488 | Description and Identification of Soils (Visual-Manual Procedure)                                   | 02/18/2021 |
| D4318 | Determining the Liquid Limit of Soils (Atterberg Limits)  | 02/18/2021 |
| D4318 | Plastic Limit of Soils (Atterberg Limits)   | 02/18/2021 |
| D4643 | Determination of Water (Moisture) Content of Soil by Microwave Oven Heating                         | 02/18/2021 |
| D4718 | Oversize Particle Correction  | 01/26/2023 |
| D4829 | Expansion Index of Soils  | 02/18/2021 |
| D4972 | pH Testing of Soils   | 01/21/2025 |
| D6913 | Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis                                | 01/26/2023 |
| D6938 | In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth) | 02/18/2021 |
| G51   | Measuring pH for Corrosion Testing  | 01/21/2025 |
| G57   | Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method                        | 01/21/2025 |
| G187  | Soil Resistivity Using the Two-Electrode Soil Box   | 01/21/2025 |



# SCOPE OF AASHTO ACCREDITATION FOR:

Anbessaw Consulting, Inc. dba The Quality Firm  
in Pomona, California, USA

## Aggregate

### Standard:

### Accredited Since:

|      |   |            |
|------|---|------------|
| R76  | Reducing Samples of Aggregate to Testing Size   | 02/05/2021 |
| R90  | Sampling Aggregate  | 02/05/2021 |
| T11  | Materials Finer Than 75- $\mu$ m (No. 200) Sieve in Mineral Aggregates by Washing                       | 02/05/2021 |
| T19  | Bulk Density ("Unit Weight") and Voids in Aggregate   | 02/05/2021 |
| T21  | Organic Impurities in Fine Aggregates for Concrete  | 02/05/2021 |
| T27  | Sieve Analysis of Fine and Coarse Aggregates  | 02/05/2021 |
| T84  | Specific Gravity (Relative Density) and Absorption of Fine Aggregate                                    | 02/05/2021 |
| T85  | Specific Gravity and Absorption of Coarse Aggregate   | 02/05/2021 |
| T96  | Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine | 01/26/2023 |
| T104 | Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate                                    | 02/05/2021 |
| T112 | Clay Lumps and Friable Particles in Aggregate   | 02/05/2021 |
| T113 | Lightweight Pieces in Aggregate   | 02/05/2021 |
| T176 | Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test                         | 02/18/2021 |
| T210 | Aggregate Durability Index  | 02/18/2021 |
| T255 | Total Moisture Content of Aggregate by Drying   | 02/05/2021 |
| T304 | Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)                  | 02/05/2021 |
| T335 | Determining the Percentage of Fractured Particles in Coarse Aggregate                                   | 01/26/2023 |
| C29  | Bulk Density ("Unit Weight") and Voids in Aggregate   | 02/05/2021 |
| C40  | Organic Impurities in Fine Aggregates for Concrete  | 02/05/2021 |
| C88  | Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate                                    | 02/05/2021 |
| C117 | Materials Finer Than 75- $\mu$ m (No. 200) Sieve in Mineral Aggregates by Washing                       | 02/05/2021 |
| C123 | Lightweight Pieces in Aggregate   | 02/05/2021 |
| C127 | Specific Gravity and Absorption of Coarse Aggregate   | 02/05/2021 |



## SCOPE OF AASHTO ACCREDITATION FOR:

Anbessaw Consulting, Inc. dba The Quality Firm  
in Pomona, California, USA

### Aggregate (Continued)

**Standard:****Accredited Since:**

|   |            |
|---|------------|
| C128 Specific Gravity (Relative Density) and Absorption of Fine Aggregate                                       | 02/05/2021 |
| C131 Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine    | 01/26/2023 |
| C136 Sieve Analysis of Fine and Coarse Aggregates   | 02/05/2021 |
| C142 Clay Lumps and Friable Particles in Aggregate  | 02/05/2021 |
| C535 Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine | 01/26/2023 |
| C566 Total Moisture Content of Aggregate by Drying  | 02/05/2021 |
| C702 Reducing Samples of Aggregate to Testing Size  | 02/05/2021 |
| C1252 Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)                    | 02/05/2021 |
| D75 Sampling Aggregate  | 02/05/2021 |
| D2419 Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test                           | 02/18/2021 |
| D3744 Aggregate Durability Index  | 02/18/2021 |
| D4791 Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate                  | 08/05/2025 |
| D5821 Determining the Percentage of Fractured Particles in Coarse Aggregate                                     | 01/26/2023 |



## SCOPE OF AASHTO ACCREDITATION FOR:

Anbessaw Consulting, Inc. dba The Quality Firm  
in Pomona, California, USA

### Sprayed Fire-Resistive Material

**Standard:**

E605 Thickness and Density of Sprayed Fire-Resistive Material(SFRM) Applied to Structural Members

**Accredited Since:**

02/18/2021



# SCOPE OF AASHTO ACCREDITATION FOR:

Anbessaw Consulting, Inc. dba The Quality Firm  
in Pomona, California, USA

## Iron and Steel

### Standard:

### Accredited Since:

|            |   |            |
|------------|---|------------|
| M31-T244   | Carbon-Steel Bars, Deformed and Plain: Tension (Elongation)                   | 01/26/2023 |
| M31-T244   | Carbon-Steel Bars, Deformed and Plain: Tension (Ultimate Tensile Strength)    | 01/26/2023 |
| M31-T244   | Carbon-Steel Bars, Deformed and Plain: Tension (Yield Strength)               | 01/26/2023 |
| M31-T285   | Carbon-Steel Bars, Deformed and Plain: Bend Test                              | 01/26/2023 |
| T244       | Externally Threaded Fasteners (Bolts): Proof Load Determination               | 01/26/2023 |
| T244       | Externally Threaded Fasteners (Bolts): Ultimate Tensile Strength              | 01/26/2023 |
| A615       | Carbon-Steel Bars, Deformed and Plain: Unit Weight                            | 01/26/2023 |
| A706       | Low Alloy Steel Bars, Deformed and Plain: Unit Weight                         | 01/26/2023 |
| A970       | Headed Steel Bars: Bend Test  | 01/26/2023 |
| A563-E18   | Internally Threaded Fasteners (Nuts): Rockwell Hardness                       | 01/26/2023 |
| A563-F606  | Internally Threaded Fasteners (Nuts): Proof Load Determination                | 01/26/2023 |
| A615-A370  | Carbon-Steel Bars, Deformed and Plain: Tension (Elongation)                   | 01/26/2023 |
| A615-A370  | Carbon-Steel Bars, Deformed and Plain: Tension (Ultimate Tensile Strength)    | 01/26/2023 |
| A615-A370  | Carbon-Steel Bars, Deformed and Plain: Tension (Yield Strength)               | 01/26/2023 |
| A615-E290  | Carbon-Steel Bars, Deformed and Plain: Bend Test                              | 01/26/2023 |
| A706-A370  | Low Alloy Steel Bars, Deformed and Plain: Tension (Elongation)                | 01/26/2023 |
| A706-A370  | Low Alloy Steel Bars, Deformed and Plain: Tension (Ultimate Tensile Strength) | 01/26/2023 |
| A706-A370  | Low Alloy Steel Bars, Deformed and Plain: Tension (Yield Strength)            | 01/26/2023 |
| A706-E290  | Low Alloy Steel Bars, Deformed and Plain: Bend Test                           | 01/26/2023 |
| A970-A370  | Headed Steel Bars: Tension (Elongation)                                       | 01/26/2023 |
| A970-A370  | Headed Steel Bars: Tension (Ultimate Tensile Strength)                        | 01/26/2023 |
| A970-A370  | Headed Steel Bars: Tension (Yield Strength)                                   | 01/26/2023 |
| A615-A1034 | Carbon-Steel Bars, Deformed and Plain: Testing Mechanical Splices             | 01/26/2023 |



## SCOPE OF AASHTO ACCREDITATION FOR:

Anbessaw Consulting, Inc. dba The Quality Firm  
in Pomona, California, USA

### Iron and Steel (Continued)

#### Standard:

#### Accredited Since:

|  |            |
|--|------------|
| A706-A1034 Low Alloy Steel Bars, Deformed and Plain: Testing Mechanical Splices            | 01/26/2023 |
| F3125 Externally Threaded Fasteners (Bolts): Rotational Capacity                           | 01/26/2023 |
| F436-E18 Hardened Steel Washers: Rockwell Hardness   | 01/26/2023 |
| F3125-E18 Externally Threaded Fasteners (Bolts): Rockwell Hardness                         | 01/26/2023 |
| F1554-A370 Anchor Bolts: Tension (Elongation)  | 01/26/2023 |
| F1554-A370 Anchor Bolts: Tension (Ultimate Tensile Strength of bar stock)                  | 01/26/2023 |
| F1554-A370 Anchor Bolts: Tension (Yield Strength)  | 01/26/2023 |
| F1554-F606 Anchor Bolts: Tension (Ultimate Tensile Strength of finished bolts)             | 01/26/2023 |
| F3125-F606 Externally Threaded Fasteners (Bolts): Proof Load Determination                 | 01/26/2023 |
| F3125-F606 Externally Threaded Fasteners (Bolts): Ultimate Tensile Strength                | 01/26/2023 |
| A615-CT670 Carbon-Steel Bars, Deformed and Plain: Testing Mechanical and Welded Splices    | 01/26/2023 |
| A706-CT670 Low Alloy Steel Bars, Deformed and Plain: Testing Mechanical and Welded Splices | 01/26/2023 |



# SCOPE OF AASHTO ACCREDITATION FOR:

Anbessaw Consulting, Inc. dba The Quality Firm  
in Pomona, California, USA

## Concrete

### Standard:

### Accredited Since:

|                           |   |            |
|---------------------------|---|------------|
| M201                      | Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes | 02/05/2021 |
| R39                       | Making and Curing Concrete Test Specimens in the Laboratory   | 02/05/2021 |
| R60                       | Sampling Freshly Mixed Concrete   | 02/05/2021 |
| R100 (Beams)              | Making and Curing Concrete Test Specimens in the Field  | 02/05/2021 |
| R100 (Cylinders)          | Making and Curing Concrete Test Specimens in the Field  | 02/05/2021 |
| R115                      | Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency                             | 08/05/2025 |
| T22                       | Compressive Strength of Cylindrical Concrete Specimens  | 02/05/2021 |
| T24                       | Obtaining and Testing Drilled Cores and Sawed Beams of Concrete   | 02/05/2021 |
| T97                       | Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)                                  | 02/05/2021 |
| T119                      | Slump of Hydraulic Cement Concrete  | 02/05/2021 |
| T121                      | Density (Unit Weight), Yield, and Air Content of Concrete   | 02/05/2021 |
| T148                      | Measuring Thickness of Concrete Elements Using Drilled Concrete Cores                                       | 08/05/2025 |
| T152                      | Air Content of Freshly Mixed Concrete by the Pressure Method  | 02/05/2021 |
| T160                      | Length Change of Hardened Hydraulic-Cement, Mortar, and Concrete  | 08/05/2025 |
| T196                      | Air Content of Freshly Mixed Concrete by the Volumetric Method  | 02/05/2021 |
| T198                      | Splitting Tensile Strength of Cylindrical Concrete Specimens  | 08/05/2025 |
| T231 (5000 psi and below) | Capping Cylindrical Concrete Specimens  | 05/13/2025 |
| T309                      | Temperature of Freshly Mixed Portland Cement Concrete   | 02/05/2021 |
| C31 (Beams)               | Making and Curing Concrete Test Specimens in the Field  | 02/05/2021 |
| C31 (Cylinders)           | Making and Curing Concrete Test Specimens in the Field  | 02/05/2021 |
| C39                       | Compressive Strength of Cylindrical Concrete Specimens  | 02/05/2021 |
| C42                       | Obtaining and Testing Drilled Cores and Sawed Beams of Concrete   | 02/05/2021 |
| C78                       | Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)                                  | 02/05/2021 |



# SCOPE OF AASHTO ACCREDITATION FOR:

Anbessaw Consulting, Inc. dba The Quality Firm  
in Pomona, California, USA

## Concrete (Continued)

**Standard:****Accredited Since:**

|   |  |            |
|---|--|------------|
| C138                                    | Density (Unit Weight), Yield, and Air Content of Concrete  | 02/05/2021 |
| C143                                    | Slump of Hydraulic Cement Concrete   | 02/05/2021 |
| C157                                    | Length Change of Hardened Hydraulic-Cement, Mortar, and Concrete   | 08/05/2025 |
| C172                                    | Sampling Freshly Mixed Concrete  | 02/05/2021 |
| C173                                    | Air Content of Freshly Mixed Concrete by the Volumetric Method   | 02/05/2021 |
| C174                                    | Measuring Thickness of Concrete Elements Using Drilled Concrete Cores  | 08/05/2025 |
| C192                                    | Making and Curing Concrete Test Specimens in the Laboratory  | 02/05/2021 |
| C231                                    | Air Content of Freshly Mixed Concrete by the Pressure Method   | 02/05/2021 |
| C305                                    | Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency  | 08/05/2025 |
| C469                                    | Static Modulus of Elasticity and Poisson's Ratio of Concrete in Compression  | 08/05/2025 |
| C495                                    | Compressive Strength of Lightweight Insulating Concrete  | 02/05/2021 |
| C496                                    | Splitting Tensile Strength of Cylindrical Concrete Specimens   | 08/05/2025 |
| C511                                    | Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes                                | 02/05/2021 |
| C617 (5000 psi and below)               | Capping Cylindrical Concrete Specimens   | 05/13/2025 |
| C1064                                   | Temperature of Freshly Mixed Portland Cement Concrete  | 02/05/2021 |
| C1140 (Obtaining and Testing Specimens) | Preparing and Testing Specimens from Shotcrete Test Panels   | 02/05/2021 |
| C1231 (7000 psi and below)              | Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders   | 02/05/2021 |
| C1542                                   | Measuring Length of Concrete Cores   | 02/05/2021 |
| C1567                                   | Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate (Accelerated Mortar-Bar Method) | 08/05/2025 |
| C1604                                   | Standard Test Method for Obtaining and Testing Drilled Cores of Shotcrete  | 02/05/2021 |



# SCOPE OF AASHTO ACCREDITATION FOR:

Anbessaw Consulting, Inc. dba The Quality Firm  
in Pomona, California, USA

## Masonry

**Standard:****Accredited Since:**

|  |  |            |
|--|--|------------|
| C109   | Compressive Strength of Hydraulic Cement Mortars (Using 2-in. Cube Specimens)  | 08/05/2025 |
| C185   | Air Content of Hydraulic Cement Mortar   | 08/05/2025 |
| C305   | Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency  | 08/05/2025 |
| C426   | Linear Drying Shrinkage of Concrete Masonry Units  | 02/05/2021 |
| C511   | Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes                      | 02/05/2021 |
| C780 (Annex 1)   | Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Consistency by Cone Penetration   | 02/05/2021 |
| C780 (Annex 6 - Cubes)   | Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Compressive Strength of Cubes     | 02/05/2021 |
| C780 (Annex 6 - Cylinders)                                     | Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Compressive Strength of Cylinders | 02/05/2021 |
| C1019  | Sampling and Testing Grout   | 02/05/2021 |
| C1314 (Prisms Constructed of Full-Size Concrete Masonry Units) | Compressive Strength of Masonry Prisms   | 05/13/2025 |
| C1437  | Flow of Hydraulic Cement Mortar  | 08/05/2025 |
| C1506  | Water Retention of Hydraulic Cement-Based Mortars and Plasters   | 08/05/2025 |
| C1552  | Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing   | 02/05/2021 |