



CERTIFICATE OF ACCREDITATION




American Geotechnical & Environmental Services, Inc.

in

King of Prussia, Pennsylvania, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).


Jim Tymon,
AASHTO Executive Director


Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 10/27/2026 at 1:37 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

American Geotechnical & Environmental Services, Inc.
in King of Prussia, Pennsylvania, USA

Quality Management System

Standard:**Accredited Since:**

R18 Establishing and Implementing a Quality System for Construction Materials Testing Laboratories

01/29/2026



SCOPE OF AASHTO ACCREDITATION FOR:

American Geotechnical & Environmental Services, Inc.

in King of Prussia, Pennsylvania, USA

Soil

Standard:

Accredited Since:

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	01/29/2026
T88	Particle Size Analysis of Soils by Hydrometer	01/29/2026
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	01/29/2026
T90	Plastic Limit of Soils (Atterberg Limits)	01/29/2026
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	01/29/2026
T193	The California Bearing Ratio	01/29/2026
T265	Laboratory Determination of Moisture Content of Soils	01/29/2026
T288	Minimum Soil Resistivity	01/29/2026
T289	pH of Soils for Corrosion Testing	01/29/2026
T290 (Method B)	Determining Water-Soluble Sulfate Ion Content in Soil	01/29/2026
T291	Determining Water-Soluble Chloride Ion Content in Soil	01/29/2026
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	01/29/2026
D422	Particle Size Analysis of Soils by Hydrometer	01/29/2026
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	01/29/2026
D1140	Amount of Material in Soils Finer than the No. 200 (75-µm) Sieve	01/29/2026
D1883	The California Bearing Ratio	01/29/2026
D2216	Laboratory Determination of Moisture Content of Soils	01/29/2026
D2487	Classification of Soils for Engineering Purposes (Unified Soil Classification System)	01/29/2026
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	01/29/2026
D4318	Plastic Limit of Soils (Atterberg Limits)	01/29/2026