



CERTIFICATE OF ACCREDITATION



Global Geotechnical Consultants, LLC

in

Halethorpe, Maryland, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

A handwritten signature in black ink, appearing to read 'Jim Tymon', is written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', is written over a horizontal line.

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 10/27/2026 at 2:20 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

Global Geotechnical Consultants, LLC

in Halethorpe, Maryland, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	03/04/2026
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	03/04/2026
E329 (Soil)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	03/04/2026



SCOPE OF AASHTO ACCREDITATION FOR:

Global Geotechnical Consultants, LLC

in Halethorpe, Maryland, USA

Soil

Standard:

Accredited Since:

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	03/04/2026
T88	Particle Size Analysis of Soils by Hydrometer	03/04/2026
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	03/04/2026
T90	Plastic Limit of Soils (Atterberg Limits)	03/04/2026
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	03/04/2026
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	03/04/2026
T265	Laboratory Determination of Moisture Content of Soils	03/04/2026
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	03/04/2026
D422	Particle Size Analysis of Soils by Hydrometer	03/04/2026
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	03/04/2026
D1140	Amount of Material in Soils Finer than the No. 200 (75-µm) Sieve	03/04/2026
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	03/04/2026
D2216	Laboratory Determination of Moisture Content of Soils	03/04/2026
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	03/04/2026
D4318	Plastic Limit of Soils (Atterberg Limits)	03/04/2026



SCOPE OF AASHTO ACCREDITATION FOR:

Global Geotechnical Consultants, LLC

in Halethorpe, Maryland, USA

Concrete

Standard:

Accredited Since:

C39	Compressive Strength of Cylindrical Concrete Specimens	03/04/2026
C495	Compressive Strength of Lightweight Insulating Concrete	06/26/2026
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	03/04/2026
C617 (5000 psi and below)	Capping Cylindrical Concrete Specimens	03/04/2026
C1231 (6000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	03/04/2026



SCOPE OF AASHTO ACCREDITATION FOR:

Global Geotechnical Consultants, LLC
in Halethorpe, Maryland, USA

Masonry

Standard:

Accredited Since:

C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	06/26/2026
C780 (Annex 1)	Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Consistency by Cone Penetration	06/26/2026
C780 (Annex 6 - Cubes)	Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Compressive Strength of Cubes	06/26/2026