AASHTO ACCREDITED

CERTIFICATE OF ACCREDITATION

AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS
AASHTO

EDW. C. Levy Co.

in

Portage, Indiana, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

Jim Tymon,
AASHTO Executive Director

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 06/12/2026 at 1:59 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

EDW. C. Levy Co.

in Portage, Indiana, USA

Quality Management System

Standard:		Accredited Since:
R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	06/15/2001
ISO/IEC 17025	General Requirements for the Competence of Testing and Calibration Laboratories	04/10/2015
D3666 (Aggregate)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	01/10/2011
D3666 (Asphalt Mixture)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	01/10/2011

Scope of AASHTO Accreditation for:

EDW. C. Levy Co.

in Portage, Indiana, USA

Asphalt Mixture

Standard:		Accredited Since:
R30	Mixture Conditioning of Hot Mix Asphalt (HMA)	02/04/2021
R35	Superpave Volumetric Design for Hot Mix Asphalt (HMA)	02/04/2021
R47	Reducing Samples of Hot-Mix Asphalt to Testing Size	02/04/2021
T30	Mechanical Analysis of Extracted Aggregate	05/13/2014
T166	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	06/15/2001
T209	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	06/15/2001
T269	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	06/15/2001
T283	Resistance of Compacted Mixtures to Moisture Induced Damage	06/15/2001
T308	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	05/13/2014
T312	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	06/15/2001
T331	Bulk Specific Gravity of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method	06/15/2001
D2041	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	06/15/2001
D2726	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	06/15/2001
D3203	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	06/15/2001
D3549	Thickness or Height of Compacted Bituminous Paving Mixture Specimens	02/04/2021
D4867	Resistance of Compacted Mixtures to Moisture Induced Damage	06/15/2001
D5444	Mechanical Analysis of Extracted Aggregate	05/13/2014
D6307	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	05/13/2014
D6752	Bulk Specific Gravity of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method	06/15/2001
D6925	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	06/15/2001

Scope of AASHTO Accreditation for:

EDW. C. Levy Co.

in Portage, Indiana, USA

Soil

Standard:		Accredited Since:
R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	10/02/2018
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	03/31/2016
T90	Plastic Limit of Soils (Atterberg Limits)	03/31/2016
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	07/06/2009
T100	Specific Gravity of Soils	02/04/2021
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	02/04/2021
T193	The California Bearing Ratio	07/06/2009
T265	Laboratory Determination of Moisture Content of Soils	10/02/2018
T288	Minimum Soil Resistivity	03/31/2016
T289	pH of Soils for Corrosion Testing	03/31/2016
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	02/04/2021
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	07/06/2009
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	02/04/2021
D1883	The California Bearing Ratio	07/06/2009
D2216	Laboratory Determination of Moisture Content of Soils	10/02/2018
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	03/31/2016
D4318	Plastic Limit of Soils (Atterberg Limits)	03/31/2016
D4972	pH Testing of Soils	03/31/2016
G51	Measuring pH for Corrosion Testing	10/02/2018
G57	Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method	10/02/2018
G187	Soil Resistivity Using the Two-Electrode Soil Box	10/02/2018

Scope of AASHTO Accreditation for:

EDW. C. Levy Co.

in Portage, Indiana, USA

Aggregate

Standard:		Accredited Since:
R76	Reducing Samples of Aggregate to Testing Size	06/15/2001
R90	Sampling Aggregate	12/17/2013
T11	Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing	06/15/2001
T19	Bulk Density (“Unit Weight”) and Voids in Aggregate	06/15/2001
T21	Organic Impurities in Fine Aggregates for Concrete	06/15/2001
T27	Sieve Analysis of Fine and Coarse Aggregates	06/15/2001
T37	Sieve Analysis of Mineral Filler for Road and Paving Materials	06/15/2001
T84	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	06/15/2001
T85	Specific Gravity and Absorption of Coarse Aggregate	06/15/2001
T96	Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	06/15/2001
T100 (Mineral Filler)	Specific Gravity of Mineral Filler on Asphalt Mixture Designs	02/04/2021
T176	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	06/15/2001
T255	Total Moisture Content of Aggregate by Drying	06/15/2001
T304	Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	06/15/2001
T327	Resistance to Abrasion by Micro-Deval (Coarse Aggregate)	06/15/2001
T335	Determining the Percentage of Fractured Particles in Coarse Aggregate	12/17/2013
C29	Bulk Density (“Unit Weight”) and Voids in Aggregate	06/15/2001
C40	Organic Impurities in Fine Aggregates for Concrete	06/15/2001
C117	Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing	06/15/2001
C127	Specific Gravity and Absorption of Coarse Aggregate	06/15/2001
C128	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	06/15/2001
C131	Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	06/15/2001
C136	Sieve Analysis of Fine and Coarse Aggregates	06/15/2001

Scope of AASHTO Accreditation for:

EDW. C. Levy Co.

in Portage, Indiana, USA

Aggregate (Continued)

Standard:		Accredited Since:
C535	Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	10/02/2018
C566	Total Moisture Content of Aggregate by Drying	06/15/2001
C702	Reducing Samples of Aggregate to Testing Size	06/15/2001
C1252	Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	06/15/2001
D75	Sampling Aggregate	12/17/2013
D546	Sieve Analysis of Mineral Filler for Road and Paving Materials	06/15/2001
D2419	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	06/15/2001
D4791	Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate	06/15/2001
D5821	Determining the Percentage of Fractured Particles in Coarse Aggregate	06/15/2001
D6928	Resistance to Abrasion by Micro-Deval (Coarse Aggregate)	06/15/2001
D7428	Resistance to Abrasion by Micro-Deval (Fine Aggregate)	03/31/2016