



CERTIFICATE OF ACCREDITATION



Soil and Materials Engineers, Inc.

in

Plymouth, Michigan, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories ([aashtoresource.org](https://www.aashtoresource.org)).

A handwritten signature in black ink, appearing to read 'Jim Tymon', is written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', is written over a horizontal line.

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 04/04/2026 at 9:32 AM Eastern Time. Please confirm the current accreditation status of this laboratory at [aashtoresource.org/aap/accreditation-directory](https://www.aashtoresource.org/aap/accreditation-directory)



SCOPE OF AASHTO ACCREDITATION FOR:

Soil and Materials Engineers, Inc.
in Plymouth, Michigan, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	03/25/2003
C1077 (Aggregate)	Laboratories Testing Concrete and Concrete Aggregates	08/06/2019
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	05/05/2016
D3666 (Aggregate)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	08/21/2024
D3666 (Asphalt Mixture)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	08/21/2024



SCOPE OF AASHTO ACCREDITATION FOR:

Soil and Materials Engineers, Inc.

in Plymouth, Michigan, USA

Asphalt Mixture

Standard:

Accredited Since:

R68	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	07/10/2009
T30	Mechanical Analysis of Extracted Aggregate	07/10/2009
T164 (Mineral Matter Not Determined)	Quantitative Extraction of Asphalt Binder from Hot Mix Asphalt (HMA) - Plant Control	07/10/2009
T166	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	07/10/2009
T209	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	07/10/2009
T245	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	07/10/2009
T269	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	07/10/2009
T312	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	07/10/2009
D2041	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	07/10/2009
D2172 (Mineral Matter Not Determined)	Quantitative Extraction of Asphalt Binder from Hot Mix Asphalt (HMA) - Plant Control	07/10/2009
D2726	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	07/10/2009
D3203	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	07/10/2009
D3549	Thickness or Height of Compacted Bituminous Paving Mixture Specimens	02/09/2022
D5444	Mechanical Analysis of Extracted Aggregate	07/10/2009
D6925	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	07/10/2009
D6926	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	07/10/2009
D6927	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	09/09/2013



SCOPE OF AASHTO ACCREDITATION FOR:

Soil and Materials Engineers, Inc.
in Plymouth, Michigan, USA

Soil

Standard:

Accredited Since:

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	03/25/2003
T88	Particle Size Analysis of Soils by Hydrometer	03/25/2003
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	03/25/2003
T90	Plastic Limit of Soils (Atterberg Limits)	03/25/2003
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	03/25/2003
T100	Specific Gravity of Soils	03/25/2003
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	03/25/2003
T193	The California Bearing Ratio	08/21/2024
T208	Unconfined Compressive Strength of Cohesive Soil	03/25/2003
T216	One-Dimensional Consolidation Properties of Soils Using Incremental Loading	01/17/2017
T236	Direct Shear Test of Soils Under Consolidated Drained Conditions	01/17/2017
T265	Laboratory Determination of Moisture Content of Soils	03/25/2003
T296	Unconsolidated, Undrained Compressive Strength of Cohesive Soils in Triaxial Compression	08/21/2024
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	03/25/2003
D422	Particle Size Analysis of Soils by Hydrometer	03/25/2003
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	03/25/2003
D854	Specific Gravity of Soils	03/25/2003
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	03/25/2003
D1883	The California Bearing Ratio	08/21/2024
D2166	Unconfined Compressive Strength of Cohesive Soil	03/25/2003
D2216	Laboratory Determination of Moisture Content of Soils	03/25/2003
D2435	One-Dimensional Consolidation Properties of Soils Using Incremental Loading	01/17/2017
D2487	Classification of Soils for Engineering Purposes (Unified Soil Classification System)	02/09/2022



SCOPE OF AASHTO ACCREDITATION FOR:

Soil and Materials Engineers, Inc.

in Plymouth, Michigan, USA

Soil (Continued)

Standard:

Accredited Since:

D2850 Unconsolidated, Undrained Compressive Strength of Cohesive Soils in Triaxial Compression	08/21/2024
D4318 Determining the Liquid Limit of Soils (Atterberg Limits)	03/25/2003
D4318 Plastic Limit of Soils (Atterberg Limits)	03/25/2003
D6913 Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis	08/21/2024
D7928 Particle-Size Distribution (Gradation) of Fine-Grained Soils Using the Sedimentation (Hydrometer) Analysis	08/21/2024



SCOPE OF AASHTO ACCREDITATION FOR:

Soil and Materials Engineers, Inc.
in Plymouth, Michigan, USA

Aggregate

Standard:

Accredited Since:

R76	Reducing Samples of Aggregate to Testing Size	05/05/2016
T11	Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	05/05/2016
T19	Bulk Density ("Unit Weight") and Voids in Aggregate	05/05/2016
T21	Organic Impurities in Fine Aggregates for Concrete	05/05/2016
T27	Sieve Analysis of Fine and Coarse Aggregates	05/05/2016
T84	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	05/05/2016
T85	Specific Gravity and Absorption of Coarse Aggregate	05/05/2016
T104	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	03/12/2019
T112	Clay Lumps and Friable Particles in Aggregate	03/12/2019
T176	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	03/12/2019
T255	Total Moisture Content of Aggregate by Drying	05/05/2016
T304	Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	03/12/2019
C29	Bulk Density ("Unit Weight") and Voids in Aggregate	05/05/2016
C40	Organic Impurities in Fine Aggregates for Concrete	05/05/2016
C88	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	03/12/2019
C117	Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	05/05/2016
C127	Specific Gravity and Absorption of Coarse Aggregate	05/05/2016
C128	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	05/05/2016
C136	Sieve Analysis of Fine and Coarse Aggregates	05/05/2016
C142	Clay Lumps and Friable Particles in Aggregate	03/12/2019
C566	Total Moisture Content of Aggregate by Drying	05/05/2016
C702	Reducing Samples of Aggregate to Testing Size	05/05/2016
C1252	Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	03/12/2019



SCOPE OF AASHTO ACCREDITATION FOR:
Soil and Materials Engineers, Inc.
in Plymouth, Michigan, USA

Aggregate (Continued)

Standard:

Accredited Since:

D2419 Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test

03/12/2019

D4791 Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate

03/12/2019



SCOPE OF AASHTO ACCREDITATION FOR:

Soil and Materials Engineers, Inc.

in Plymouth, Michigan, USA

Iron and Steel

Standard:

Accredited Since:

M31-T244 Carbon-Steel Bars, Deformed and Plain: Tension (Elongation)

08/06/2019

A615-A370 Carbon-Steel Bars, Deformed and Plain: Tension (Elongation)

05/05/2016



SCOPE OF AASHTO ACCREDITATION FOR:

Soil and Materials Engineers, Inc.
in Plymouth, Michigan, USA

Concrete

Standard:		Accredited Since:
M201	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	05/05/2016
R60	Sampling Freshly Mixed Concrete	05/05/2016
R100 (Beams)	Making and Curing Concrete Test Specimens in the Field	05/05/2016
R100 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	05/05/2016
R115	Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency	07/21/2022
T22	Compressive Strength of Cylindrical Concrete Specimens	05/05/2016
T97	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	Suspended
T119	Slump of Hydraulic Cement Concrete	05/05/2016
T121	Density (Unit Weight), Yield, and Air Content of Concrete	05/05/2016
T152	Air Content of Freshly Mixed Concrete by the Pressure Method	05/05/2016
T177	Flexural Strength of Concrete (Using Simple Beam With Center-Point Loading)	05/05/2016
T196	Air Content of Freshly Mixed Concrete by the Volumetric Method	05/05/2016
T303	Potential Alkali Reactivity of Aggregates (Mortar-Bar Method)	05/05/2016
T309	Temperature of Freshly Mixed Portland Cement Concrete	05/05/2016
C31 (Beams)	Making and Curing Concrete Test Specimens in the Field	05/05/2016
C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	05/05/2016
C39	Compressive Strength of Cylindrical Concrete Specimens	05/05/2016
C78	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	Suspended
C138	Density (Unit Weight), Yield, and Air Content of Concrete	05/05/2016
C143	Slump of Hydraulic Cement Concrete	05/05/2016
C172	Sampling Freshly Mixed Concrete	05/05/2016
C173	Air Content of Freshly Mixed Concrete by the Volumetric Method	05/05/2016
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	05/05/2016



SCOPE OF AASHTO ACCREDITATION FOR:
Soil and Materials Engineers, Inc.
in Plymouth, Michigan, USA

Concrete (Continued)

Standard:		Accredited Since:
C293	Flexural Strength of Concrete (Using Simple Beam With Center-Point Loading)	05/05/2016
C305	Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency	07/21/2022
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	05/05/2016
C1064	Temperature of Freshly Mixed Portland Cement Concrete	05/05/2016
C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	05/05/2016
C1260	Potential Alkali Reactivity of Aggregates (Mortar-Bar Method)	05/05/2016
C1567	Determining the Potential Alkali-Silica Reactivity of Combinations of Cementitious Materials and Aggregate (Accelerated Mortar-Bar Method)	05/05/2016