



CERTIFICATE OF ACCREDITATION



MT Group, LLC - an Intertek Group plc company

in

Edgewood, New York, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

Jim Tymon,
AASHTO Executive Director

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 10/27/2026 at 1:36 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

MT Group, LLC - an Intertek Group plc company

in Edgewood, New York, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	05/15/1995
C1077 (Aggregate)	Laboratories Testing Concrete and Concrete Aggregates	01/10/2011
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	01/10/2011
C1093 (Masonry)	Accreditation of Testing Agencies for Unit Masonry	06/06/2023
D3666 (Aggregate)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	01/10/2011
D3666 (Asphalt Mixture)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	01/10/2011
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	05/10/2011
E329 (Aggregate)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/10/2011
E329 (Asphalt Mixture)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/10/2011
E329 (Concrete)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/10/2011
E329 (Masonry)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	06/06/2023
E329 (Soil)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	05/10/2011
E329 (Sprayed Fire-Resistive Material)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	02/25/2016



SCOPE OF AASHTO ACCREDITATION FOR:

MT Group, LLC - an Intertek Group plc company
in Edgewood, New York, USA

Asphalt Mixture

Standard:

Accredited Since:

R68	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	05/15/1995
T30	Mechanical Analysis of Extracted Aggregate	05/15/1995
T166	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	05/15/1995
T209	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	05/15/1995
T245	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	05/15/1995
T269	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	05/15/1995
T283	Resistance of Compacted Mixtures to Moisture Induced Damage	02/01/2019
T308	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	05/15/1995
T312	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	05/15/1995
T324	Hamburg Wheel-Track Testing of Compacted Hot-Mix Asphalt (HMA)	02/01/2019
T331	Bulk Specific Gravity of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method	02/02/2026
T355	Density of Bituminous Concrete In Place by Nuclear Methods	09/25/2023
D2041	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	05/15/1995
D2726	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	05/15/1995
D2950	Density of Bituminous Concrete In Place by Nuclear Methods	09/25/2023
D3203	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	05/15/1995
D3549	Thickness or Height of Compacted Bituminous Paving Mixture Specimens	03/16/2020
D4867	Resistance of Compacted Mixtures to Moisture Induced Damage	02/01/2019
D5444	Mechanical Analysis of Extracted Aggregate	05/15/1995
D6307	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	05/15/1995
D6752	Bulk Specific Gravity of Compacted Bituminous Mixtures Using Automatic Vacuum Sealing Method	02/02/2026
D6925	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	05/15/1995
D6926	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	05/15/1995



SCOPE OF AASHTO ACCREDITATION FOR:

MT Group, LLC - an Intertek Group plc company

in Edgewood, New York, USA

Asphalt Mixture (Continued)

Standard:

Accredited Since:

D6927 Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus

05/15/1995

D6931 Indirect Tensile Strength (IDT)

09/25/2023



SCOPE OF AASHTO ACCREDITATION FOR:

MT Group, LLC - an Intertek Group plc company

in Edgewood, New York, USA

Soil

Standard:

Accredited Since:

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	05/15/1995
T88	Particle Size Analysis of Soils by Hydrometer	05/15/1995
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	05/15/1995
T90	Plastic Limit of Soils (Atterberg Limits)	05/15/1995
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	05/15/1995
T100	Specific Gravity of Soils	05/15/1995
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	05/15/1995
T191	Density of Soil In-Place by the Sand Cone Method	09/25/2023
T265	Laboratory Determination of Moisture Content of Soils	05/15/1995
T267	Determination of Organic Content in Soils by Loss on Ignition	09/25/2023
T310	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	03/25/2011
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	05/15/1995
D422	Particle Size Analysis of Soils by Hydrometer	05/15/1995
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	05/15/1995
D1140	Amount of Material in Soils Finer than the No. 200 (75-µm) Sieve	05/15/1995
D1556	Density of Soil In-Place by the Sand Cone Method	09/25/2023
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	05/15/1995
D2216	Laboratory Determination of Moisture Content of Soils	05/15/1995
D2487	Classification of Soils for Engineering Purposes (Unified Soil Classification System)	01/22/2018
D2488	Description and Identification of Soils (Visual-Manual Procedure)	01/22/2018
D2974	Determination of Organic Content in Soils by Loss on Ignition	09/25/2023
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	05/15/1995
D4318	Plastic Limit of Soils (Atterberg Limits)	05/15/1995



SCOPE OF AASHTO ACCREDITATION FOR:

MT Group, LLC - an Intertek Group plc company

in Edgewood, New York, USA

Soil (Continued)

Standard:

Accredited Since:

D4718 Oversize Particle Correction	09/25/2023
D4972 pH Testing of Soils	09/25/2023
D6913 Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis	09/25/2023
D6938 In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	03/25/2011
D7928 Particle-Size Distribution (Gradation) of Fine-Grained Soils Using the Sedimentation (Hydrometer) Analysis	09/25/2023
G187 Soil Resistivity Using the Two-Electrode Soil Box	09/25/2023



SCOPE OF AASHTO ACCREDITATION FOR:

MT Group, LLC - an Intertek Group plc company

in Edgewood, New York, USA

Aggregate

Standard:

Accredited Since:

R76	Reducing Samples of Aggregate to Testing Size	05/15/1995
R90	Sampling Aggregate	09/25/2023
T11	Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	05/15/1995
T19	Bulk Density ("Unit Weight") and Voids in Aggregate	09/25/2023
T21	Organic Impurities in Fine Aggregates for Concrete	05/15/1995
T27	Sieve Analysis of Fine and Coarse Aggregates	05/15/1995
T84	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	05/15/1995
T85	Specific Gravity and Absorption of Coarse Aggregate	05/15/1995
T96	Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	05/15/1995
T103	Soundness of Aggregates by Freezing and Thawing	05/11/2026
T104	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	12/21/2016
T112	Clay Lumps and Friable Particles in Aggregate	11/07/2016
T113	Lightweight Pieces in Aggregate	05/11/2026
T176	Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	11/12/2025
T255	Total Moisture Content of Aggregate by Drying	05/15/1995
T304	Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	11/12/2025
C29	Bulk Density ("Unit Weight") and Voids in Aggregate	09/25/2023
C40	Organic Impurities in Fine Aggregates for Concrete	05/15/1995
C88	Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	12/21/2016
C117	Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	05/15/1995
C123	Lightweight Pieces in Aggregate	05/11/2026
C127	Specific Gravity and Absorption of Coarse Aggregate	05/15/1995
C128	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	05/15/1995



SCOPE OF AASHTO ACCREDITATION FOR:

MT Group, LLC - an Intertek Group plc company
in Edgewood, New York, USA

Aggregate (Continued)

Standard:	Accredited Since:
C131 Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	05/15/1995
C136 Sieve Analysis of Fine and Coarse Aggregates	05/15/1995
C142 Clay Lumps and Friable Particles in Aggregate	11/07/2016
C535 Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	05/15/1995
C566 Total Moisture Content of Aggregate by Drying	05/15/1995
C702 Reducing Samples of Aggregate to Testing Size	05/15/1995
C1252 Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	11/12/2025
D75 Sampling Aggregate	09/25/2023
D2419 Plastic Fines in Graded Aggregates and Soils by Use of the Sand Equivalent Test	11/12/2025
D4791 Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate	04/13/2022
D5821 Determining the Percentage of Fractured Particles in Coarse Aggregate	11/12/2025



SCOPE OF AASHTO ACCREDITATION FOR:

MT Group, LLC - an Intertek Group plc company

in Edgewood, New York, USA

Sprayed Fire-Resistive Material

Standard:

Accredited Since:

E605 Thickness and Density of Sprayed Fire-Resistive Material(SFRM) Applied to Structural Members

02/25/2016

E736 Cohesion/Adhesion of Sprayed Fire-Resistive MaterialsApplied to Structural Members

02/25/2016



SCOPE OF AASHTO ACCREDITATION FOR:

MT Group, LLC - an Intertek Group plc company
in Edgewood, New York, USA

Concrete

Standard:

Accredited Since:

M201	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	05/19/2014
R39	Making and Curing Concrete Test Specimens in the Laboratory	05/19/2014
R60	Sampling Freshly Mixed Concrete	05/15/1995
R100 (Beams)	Making and Curing Concrete Test Specimens in the Field	05/15/1995
R100 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	05/15/1995
T22	Compressive Strength of Cylindrical Concrete Specimens	05/15/1995
T24 (Drilling Cores of Concrete)	Drilling Cores of Concrete	05/19/2014
T24 (Testing Drilled Cores of Concrete)	Testing Drilled Cores of Concrete	05/19/2014
T97	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	05/15/1995
T119	Slump of Hydraulic Cement Concrete	05/15/1995
T121	Density (Unit Weight), Yield, and Air Content of Concrete	05/15/1995
T148	Measuring Thickness of Concrete Elements Using Drilled Concrete Cores	11/07/2016
T152	Air Content of Freshly Mixed Concrete by the Pressure Method	05/15/1995
T160	Length Change of Hardened Hydraulic-Cement, Mortar, and Concrete	04/13/2022
T196	Air Content of Freshly Mixed Concrete by the Volumetric Method	05/15/1995
T198	Splitting Tensile Strength of Cylindrical Concrete Specimens	06/06/2023
T231 (6000 psi and below)	Capping Cylindrical Concrete Specimens	11/12/2025
T277	Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration	04/13/2022
T309	Temperature of Freshly Mixed Portland Cement Concrete	05/15/1995
T318	Water Content of Freshly Mixed Concrete Using Microwave Oven Drying	04/13/2022
T358	Surface Resistivity Indication of Concrete's Ability to Resist Chloride Ion Penetration	04/13/2022
C31 (Beams)	Making and Curing Concrete Test Specimens in the Field	05/15/1995
C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	05/15/1995



SCOPE OF AASHTO ACCREDITATION FOR:

MT Group, LLC - an Intertek Group plc company
in Edgewood, New York, USA

Concrete (Continued)

Standard:		Accredited Since:
C39	Compressive Strength of Cylindrical Concrete Specimens	05/15/1995
C42 (Drilling Cores of Concrete)	Drilling Cores of Concrete	05/15/1995
C42 (Testing Drilled Cores of Concrete)	Testing Drilled Cores of Concrete	05/15/1995
C78	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	05/15/1995
C138	Density (Unit Weight), Yield, and Air Content of Concrete	05/15/1995
C143	Slump of Hydraulic Cement Concrete	05/15/1995
C157	Length Change of Hardened Hydraulic-Cement, Mortar, and Concrete	04/13/2022
C172	Sampling Freshly Mixed Concrete	05/15/1995
C173	Air Content of Freshly Mixed Concrete by the Volumetric Method	05/15/1995
C174	Measuring Thickness of Concrete Elements Using Drilled Concrete Cores	11/07/2016
C192	Making and Curing Concrete Test Specimens in the Laboratory	05/15/1995
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	05/15/1995
C495	Compressive Strength of Lightweight Insulating Concrete	11/12/2025
C496	Splitting Tensile Strength of Cylindrical Concrete Specimens	06/06/2023
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	12/30/2011
C567	Determining Density of Structural Lightweight Concrete	06/06/2023
C617 (6000 psi and below)	Capping Cylindrical Concrete Specimens	11/12/2025
C642	Density, Absorption, and Voids in Hardened Concrete	06/06/2023
C803	Penetration Resistance of Hardened Concrete	11/12/2025
C805	Rebound Number of Hardened Concrete	11/12/2025
C1064	Temperature of Freshly Mixed Portland Cement Concrete	05/15/1995
C1105	Length Change of Concrete Due to Alkali-Carbonate Rock Reaction	11/12/2025
C1202	Electrical Indication of Concrete's Ability to Resist Chloride Ion Penetration	04/13/2022



SCOPE OF AASHTO ACCREDITATION FOR:

MT Group, LLC - an Intertek Group plc company

in Edgewood, New York, USA

Concrete (Continued)

Standard:

Accredited Since:

C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	12/30/2011
C1542	Measuring Length of Concrete Cores	11/07/2016



SCOPE OF AASHTO ACCREDITATION FOR:

MT Group, LLC - an Intertek Group plc company

in Edgewood, New York, USA

Masonry

Standard:

Accredited Since:

C67	Brick: Absorption	06/06/2023
C67	Brick: Capping	06/06/2023
C67	Brick: Compressive Strength	06/06/2023
C67	Brick: Initial Rate of Absorption	06/06/2023
C67	Brick: Measurement	06/06/2023
C67	Brick: Specimen Preparation	06/06/2023
C140 (Concrete Interlocking Paving Units)	Sampling and Testing Concrete Masonry Units and Related Units	06/06/2023
C140 (Reduced-Size Concrete Masonry Units)	Sampling and Testing Concrete Masonry Units and Related Units	04/01/2026
C140 (Segmental Retaining Wall Units)	Sampling and Testing Concrete Masonry Units and Related Units	06/06/2023
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	11/12/2025
C780 (Annex 1)	Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Consistency by Cone Penetration	06/06/2023
C780 (Annex 6 - Cubes)	Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Compressive Strength of Cubes	06/06/2023
C780 (Annex 6 - Cylinders)	Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Compressive Strength of Cylinders	06/06/2023
C1019	Sampling and Testing Grout	11/12/2025
C1314 (Prisms Constructed of Reduced-Size Concrete Masonry Units)	Compressive Strength of Masonry Prisms	04/01/2026
C1552	Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing	06/06/2023



SCOPE OF AASHTO ACCREDITATION FOR:

MT Group, LLC - an Intertek Group plc company
in Edgewood, New York, USA

Ultra-High Performance Concrete (UHPC)

Standard:

Accredited Since:

C1856 (Sampling)	Sampling Specimens of Ultra-High Performance Concrete	11/12/2025
C1856-C31 (Cylinders)	Making Ultra-High Performance Concrete Test Specimens in the Field (Cylinders)	11/12/2025
C1856-C39	Compressive Strength of Cylindrical Ultra-High Performance Concrete Specimens	11/12/2025
C1856-C42 (Testing Drilled Cores of Ultra-High Performance Concrete)	Testing Drilled Cores of Ultra-High Performance Concrete	11/12/2025
C1856-C157	Length Change of Hardened Ultra-High Performance Concrete	11/12/2025
C1856-C192 (Cylinders)	Making Ultra-High Performance Concrete Test Specimens in the Laboratory (Cylinders)	11/12/2025
C1856-C511	Curing Specimens of Ultra-High Performance Concrete	11/12/2025
C1856-C1202	Electrical Indication of Ultra-High Performance Concrete's Ability to Resist Chloride Ion Penetration	11/12/2025