



**AASHTO**  
ACCREDITED

# CERTIFICATE OF ACCREDITATION

AMERICAN ASSOCIATION  
OF STATE HIGHWAY AND  
TRANSPORTATION OFFICIALS

**AASHTO**

## Twin Peaks Incorporated

in

**Long Island City, New York, USA**

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories ([aashtoresource.org](http://aashtoresource.org)).



---

Jim Tymon,  
AASHTO Executive Director



---

Matt Linneman,  
AASHTO COMP Chair

This certificate was generated on 04/22/2026 at 7:46 AM Eastern Time. Please confirm the current accreditation status of this laboratory at [aashtoresource.org/aap/accreditation-directory](http://aashtoresource.org/aap/accreditation-directory)



# SCOPE OF AASHTO ACCREDITATION FOR:

Twin Peaks Incorporated  
 in Long Island City, New York, USA

## Quality Management System

Standard:		Accredited Since:
R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	<b>Suspended</b>
C1077 (Aggregate)	Laboratories Testing Concrete and Concrete Aggregates	04/13/2012
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	04/13/2012
C1093 (Masonry)	Accreditation of Testing Agencies for Unit Masonry	09/29/2011
D3666 (Aggregate)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	03/28/2013
D3666 (Asphalt Mixture)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	05/13/2015
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	05/13/2015
E329 (Aggregate)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	04/13/2012
E329 (Asphalt Mixture)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	05/13/2015
E329 (Concrete)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	04/13/2012
E329 (Masonry)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	03/10/2022
E329 (Soil)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	05/13/2015
E329 (Sprayed Fire-Resistive Material)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	12/28/2015



# SCOPE OF AASHTO ACCREDITATION FOR:

Twin Peaks Incorporated

in Long Island City, New York, USA

## Asphalt Mixture

### Standard:

### Accredited Since:

R68	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	04/23/2003
T30	Mechanical Analysis of Extracted Aggregate	04/23/2003
T166	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	04/23/2003
T209	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	04/23/2003
T245	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	04/23/2003
T269	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	04/23/2003
T308	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	04/23/2003
D2041	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	04/23/2003
D2726	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	04/23/2003
D3203	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	04/23/2003
D3549	Thickness or Height of Compacted Bituminous Paving Mixture Specimens	07/21/2020
D5444	Mechanical Analysis of Extracted Aggregate	04/23/2003
D6307	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	04/23/2003
D6926	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	04/23/2003
D6927	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	04/23/2003



# SCOPE OF AASHTO ACCREDITATION FOR:

Twin Peaks Incorporated  
in Long Island City, New York, USA

## Soil

### Standard:

### Accredited Since:

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	04/23/2003
T88	Particle Size Analysis of Soils by Hydrometer	04/23/2003
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	04/23/2003
T90	Plastic Limit of Soils (Atterberg Limits)	04/23/2003
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	04/23/2003
T100	Specific Gravity of Soils	04/23/2003
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	04/23/2003
T191	Density of Soil In-Place by the Sand Cone Method	02/17/2011
T193	The California Bearing Ratio	04/23/2003
T265	Laboratory Determination of Moisture Content of Soils	04/23/2003
T310	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	04/23/2003
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	04/23/2003
D422	Particle Size Analysis of Soils by Hydrometer	04/23/2003
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	04/23/2003
D854	Specific Gravity of Soils	04/23/2003
D1140	Amount of Material in Soils Finer than the No. 200 (75- $\mu$ m) Sieve	06/07/2023
D1556	Density of Soil In-Place by the Sand Cone Method	02/17/2011
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	04/23/2003
D1883	The California Bearing Ratio	04/23/2003
D2216	Laboratory Determination of Moisture Content of Soils	04/23/2003
D2487	Classification of Soils for Engineering Purposes (Unified Soil Classification System)	04/23/2003
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	04/23/2003
D4318	Plastic Limit of Soils (Atterberg Limits)	04/23/2003



# SCOPE OF AASHTO ACCREDITATION FOR:

Twin Peaks Incorporated

in Long Island City, New York, USA

## Soil (Continued)

**Standard:**

**Accredited Since:**

D6938 In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)

04/23/2003



# SCOPE OF AASHTO ACCREDITATION FOR:

Twin Peaks Incorporated  
in Long Island City, New York, USA

## Aggregate

<b>Standard:</b>	<b>Accredited Since:</b>
R76 Reducing Samples of Aggregate to Testing Size	02/11/2014
T11 Materials Finer Than 75- $\mu$ m (No. 200) Sieve in Mineral Aggregates by Washing	02/11/2014
T21 Organic Impurities in Fine Aggregates for Concrete	02/11/2014
T27 Sieve Analysis of Fine and Coarse Aggregates	02/11/2014
T84 Specific Gravity (Relative Density) and Absorption of Fine Aggregate	02/11/2014
T85 Specific Gravity and Absorption of Coarse Aggregate	02/11/2014
T104 Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	02/11/2014
T255 Total Moisture Content of Aggregate by Drying	02/11/2014
C40 Organic Impurities in Fine Aggregates for Concrete	02/20/2003
C88 Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	02/20/2003
C117 Materials Finer Than 75- $\mu$ m (No. 200) Sieve in Mineral Aggregates by Washing	02/20/2003
C127 Specific Gravity and Absorption of Coarse Aggregate	02/20/2003
C128 Specific Gravity (Relative Density) and Absorption of Fine Aggregate	02/20/2003
C136 Sieve Analysis of Fine and Coarse Aggregates	02/20/2003
C566 Total Moisture Content of Aggregate by Drying	02/20/2003
C702 Reducing Samples of Aggregate to Testing Size	02/20/2003



# SCOPE OF AASHTO ACCREDITATION FOR:

Twin Peaks Incorporated  
in Long Island City, New York, USA

## Sprayed Fire-Resistive Material

**Standard:**

**Accredited Since:**

E605 Thickness and Density of Sprayed Fire-Resistive Material(SFRM) Applied to Structural Members

12/28/2015

E736 Cohesion/Adhesion of Sprayed Fire-Resistive Materials Applied to Structural Members

12/28/2015



# SCOPE OF AASHTO ACCREDITATION FOR:

Twin Peaks Incorporated  
in Long Island City, New York, USA

## Concrete

Standard:		Accredited Since:
M201	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	02/11/2014
R60	Sampling Freshly Mixed Concrete	02/11/2014
R100 (Beams)	Making and Curing Concrete Test Specimens in the Field	02/11/2014
R100 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	02/11/2014
T22	Compressive Strength of Cylindrical Concrete Specimens	02/11/2014
T24 (Testing Drilled Cores of Concrete)	Testing Drilled Cores of Concrete	02/11/2014
T97	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	02/11/2014
T119	Slump of Hydraulic Cement Concrete	02/11/2014
T121	Density (Unit Weight), Yield, and Air Content of Concrete	02/11/2014
T152	Air Content of Freshly Mixed Concrete by the Pressure Method	02/11/2014
T196	Air Content of Freshly Mixed Concrete by the Volumetric Method	02/11/2014
T231 (9000 psi and below)	Capping Cylindrical Concrete Specimens	01/30/2019
T309	Temperature of Freshly Mixed Portland Cement Concrete	02/11/2014
C31 (Beams)	Making and Curing Concrete Test Specimens in the Field	02/20/2003
C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	02/20/2003
C39	Compressive Strength of Cylindrical Concrete Specimens	02/20/2003
C42 (Testing Drilled Cores of Concrete)	Testing Drilled Cores of Concrete	09/29/2011
C78	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	02/20/2003
C138	Density (Unit Weight), Yield, and Air Content of Concrete	02/20/2003
C143	Slump of Hydraulic Cement Concrete	02/20/2003
C172	Sampling Freshly Mixed Concrete	02/20/2003
C173	Air Content of Freshly Mixed Concrete by the Volumetric Method	02/20/2003
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	02/20/2003



# SCOPE OF AASHTO ACCREDITATION FOR:

Twin Peaks Incorporated

in Long Island City, New York, USA

## Concrete (Continued)

Standard:		Accredited Since:
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	02/11/2014
C617 (9000 psi and below)	Capping Cylindrical Concrete Specimens	01/30/2019
C803	Penetration Resistance of Hardened Concrete	09/29/2011
C805	Rebound Number of Hardened Concrete	01/30/2019
C1064	Temperature of Freshly Mixed Portland Cement Concrete	02/20/2003
C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	11/10/2021
C1542	Measuring Length of Concrete Cores	09/27/2016



# SCOPE OF AASHTO ACCREDITATION FOR:

Twin Peaks Incorporated  
in Long Island City, New York, USA

## Masonry

**Standard:**

**Accredited Since:**

Standard	Scope	Accredited Since
C140 (Reduced-Size Concrete Masonry Units)	Sampling and Testing Concrete Masonry Units and Related Units	06/30/2025
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	02/11/2014
C780 (Annex 1)	Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Consistency by Cone Penetration	01/30/2019
C780 (Annex 6 - Cubes)	Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Compressive Strength of Cubes	02/11/2014
C780 (Annex 6 - Cylinders)	Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Compressive Strength of Cylinders	02/11/2014
C1019	Sampling and Testing Grout	09/29/2011
C1314 (Prisms Constructed of Reduced-Size Concrete Masonry Units)	Compressive Strength of Masonry Prisms	06/30/2025
C1552	Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing	09/29/2011