



AASHTO
ACCREDITED

CERTIFICATE OF ACCREDITATION

AMERICAN ASSOCIATION
OF STATE HIGHWAY AND
TRANSPORTATION OFFICIALS

AASHTO


S&ME, Inc. of Ohio (S&ME, Inc.)

in

Dublin, Ohio, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).



Jim Tymon,
AASHTO Executive Director



Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 05/06/2026 at 1:37 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

S&ME, Inc. of Ohio (S&ME, Inc.)

in Dublin, Ohio, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	04/15/1998
C1077 (Aggregate)	Laboratories Testing Concrete and Concrete Aggregates	01/10/2011
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	11/29/2014
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	02/01/2013
E329 (Aggregate)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	07/23/2018
E329 (Concrete)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	09/17/2019
E329 (Soil)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	07/23/2018



SCOPE OF AASHTO ACCREDITATION FOR:

S&ME, Inc. of Ohio (S&ME, Inc.)

in Dublin, Ohio, USA

Soil

Standard:

Accredited Since:

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	04/15/1998
T88	Particle Size Analysis of Soils by Hydrometer	04/15/1998
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	04/15/1998
T90	Plastic Limit of Soils (Atterberg Limits)	04/15/1998
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	04/15/1998
T100	Specific Gravity of Soils	04/15/1998
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	04/15/1998
T193	The California Bearing Ratio	04/15/1998
T208	Unconfined Compressive Strength of Cohesive Soil	04/15/1998
T215	Permeability of Granular Soils (Constant Head)	02/21/2017
T216	One-Dimensional Consolidation Properties of Soils Using Incremental Loading	04/15/1998
T236	Direct Shear Test of Soils Under Consolidated Drained Conditions	02/21/2017
T265	Laboratory Determination of Moisture Content of Soils	04/15/1998
T267	Determination of Organic Content in Soils by Loss on Ignition	05/08/2013
T288	Minimum Soil Resistivity	04/19/2018
T289	pH of Soils for Corrosion Testing	04/19/2018
T296	Unconsolidated, Undrained Compressive Strength of Cohesive Soils in Triaxial Compression	04/15/1998
T297	Consolidated-Undrained Triaxial Compression Test on Cohesive Soils	04/15/1998
T310	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	04/15/2016
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	04/15/1998
D422	Particle Size Analysis of Soils by Hydrometer	04/15/1998
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	04/15/1998
D854	Specific Gravity of Soils	04/15/1998



SCOPE OF AASHTO ACCREDITATION FOR:
S&ME, Inc. of Ohio (S&ME, Inc.)
in Dublin, Ohio, USA

Soil (Continued)

Standard:	Accredited Since:
D1140 Amount of Material in Soils Finer than the No. 200 (75- μ m) Sieve	04/15/1998
D1557 Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	04/15/1998
D1883 The California Bearing Ratio	04/15/1998
D2166 Unconfined Compressive Strength of Cohesive Soil	04/15/1998
D2216 Laboratory Determination of Moisture Content of Soils	04/15/1998
D2434 Permeability of Granular Soils (Constant Head)	02/21/2017
D2435 One-Dimensional Consolidation Properties of Soils Using Incremental Loading	04/15/1998
D2487 Classification of Soils for Engineering Purposes (Unified Soil Classification System)	04/15/1998
D2488 Description and Identification of Soils (Visual-Manual Procedure)	04/15/1998
D2850 Unconsolidated, Undrained Compressive Strength of Cohesive Soils in Triaxial Compression	04/15/1998
D2974 Determination of Organic Content in Soils by Loss on Ignition	05/08/2013
D3080 Direct Shear Test of Soils Under Consolidated Drained Conditions	02/21/2017
D4318 Determining the Liquid Limit of Soils (Atterberg Limits)	04/15/1998
D4318 Plastic Limit of Soils (Atterberg Limits)	04/15/1998
D4718 Oversize Particle Correction	04/05/2024
D4767 Consolidated-Undrained Triaxial Compression Test on Cohesive Soils	04/15/1998
D4972 pH Testing of Soils	03/02/2021
D5084 Hydraulic Conductivity of Saturated Porous Materials Using a Flexible Wall Permeameter	04/15/1998
D6913 Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis	05/08/2013
D6938 In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	04/15/2016
D7928 Particle-Size Distribution (Gradation) of Fine-Grained Soils Using the Sedimentation (Hydrometer) Analysis	04/19/2018
G57 Field Measurement of Soil Resistivity Using the Wenner Four-Electrode Method	03/02/2021
G187 Soil Resistivity Using the Two-Electrode Soil Box	04/19/2018



SCOPE OF AASHTO ACCREDITATION FOR:

S&ME, Inc. of Ohio (S&ME, Inc.)

in Dublin, Ohio, USA

Rock

Standard:

Accredited Since:

D4644 Slake Durability of Shales and Weak Rocks	05/08/2013
D5240 Evaluation of Durability of Rock for Erosion Control Using Sodium Sulfate or Magnesium Sulfate	03/02/2021
D5731 Point Load Strength Index of Rock	04/15/2016



SCOPE OF AASHTO ACCREDITATION FOR:
S&ME, Inc. of Ohio (S&ME, Inc.)
in Dublin, Ohio, USA

Aggregate

Standard:	Accredited Since:
R76 Reducing Samples of Aggregate to Testing Size	03/03/2003
R90 Sampling Aggregate	04/15/2016
T11 Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing	03/03/2003
T19 Bulk Density ("Unit Weight") and Voids in Aggregate	03/03/2003
T21 Organic Impurities in Fine Aggregates for Concrete	03/03/2003
T27 Sieve Analysis of Fine and Coarse Aggregates	03/03/2003
T84 Specific Gravity (Relative Density) and Absorption of Fine Aggregate	03/03/2003
T85 Specific Gravity and Absorption of Coarse Aggregate	03/03/2003
T104 Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	03/03/2003
T112 Clay Lumps and Friable Particles in Aggregate	05/08/2013
T255 Total Moisture Content of Aggregate by Drying	03/03/2003
T304 Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	03/02/2021
T327 Resistance to Abrasion by Micro-Deval (Coarse Aggregate)	04/05/2024
T335 Determining the Percentage of Fractured Particles in Coarse Aggregate	04/15/2016
C29 Bulk Density ("Unit Weight") and Voids in Aggregate	03/03/2003
C40 Organic Impurities in Fine Aggregates for Concrete	03/03/2003
C88 Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	03/03/2003
C117 Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing	03/03/2003
C127 Specific Gravity and Absorption of Coarse Aggregate	03/03/2003
C128 Specific Gravity (Relative Density) and Absorption of Fine Aggregate	03/03/2003
C136 Sieve Analysis of Fine and Coarse Aggregates	03/03/2003
C142 Clay Lumps and Friable Particles in Aggregate	05/08/2013
C566 Total Moisture Content of Aggregate by Drying	03/03/2003



SCOPE OF AASHTO ACCREDITATION FOR:
S&ME, Inc. of Ohio (S&ME, Inc.)
in Dublin, Ohio, USA

Aggregate (Continued)

Standard:	Accredited Since:
C702 Reducing Samples of Aggregate to Testing Size	03/03/2003
C1252 Uncompacted Void Content of Fine Aggregate (Influenced by Shape, Texture, and Grading)	03/02/2021
D75 Sampling Aggregate	04/15/2016
D4791 Flat Particles, Elongated Particles, or Flat and Elongated Particles in Coarse Aggregate	03/03/2003
D5821 Determining the Percentage of Fractured Particles in Coarse Aggregate	03/03/2003
D6928 Resistance to Abrasion by Micro-Deval (Coarse Aggregate)	04/05/2024
D7428 Resistance to Abrasion by Micro-Deval (Fine Aggregate)	04/05/2024



SCOPE OF AASHTO ACCREDITATION FOR:

S&ME, Inc. of Ohio (S&ME, Inc.)
in Dublin, Ohio, USA

Concrete

Standard:		Accredited Since:
C31 (Beams)	Making and Curing Concrete Test Specimens in the Field	04/15/1998
C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	04/15/1998
C39	Compressive Strength of Cylindrical Concrete Specimens	04/15/1998
C42 (Testing Drilled Cores of Concrete)	Testing Drilled Cores of Concrete	04/15/1998
C78	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	04/15/1998
C138	Density (Unit Weight), Yield, and Air Content of Concrete	04/15/1998
C143	Slump of Hydraulic Cement Concrete	04/15/1998
C172	Sampling Freshly Mixed Concrete	04/15/1998
C173	Air Content of Freshly Mixed Concrete by the Volumetric Method	04/15/1998
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	04/15/1998
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	03/09/2012
C617 (8000 psi and below)	Capping Cylindrical Concrete Specimens	01/13/2026
C1064	Temperature of Freshly Mixed Portland Cement Concrete	04/15/1998
C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	03/09/2012
C1542	Measuring Length of Concrete Cores	11/04/2014