AASHTO ACCREDITED

CERTIFICATE OF ACCREDITATION

AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS
AASHTO

UES Professional Solutions 25, LLC

in

Little Rock, Arkansas, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

Jim Tymon,
AASHTO Executive Director

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 11/23/2026 at 6:17 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

UES Professional Solutions 25, LLC

in Little Rock, Arkansas, USA

Quality Management System

Standard:		Accredited Since:
R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	05/15/1999
C1077 (Aggregate)	Laboratories Testing Concrete and Concrete Aggregates	12/27/2014
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	06/27/2012
D3666 (Aggregate)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	06/27/2012
D3666 (Asphalt Mixture)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	06/27/2012
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	06/27/2012
E329 (Aggregate)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	08/14/2020
E329 (Concrete)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	08/14/2020
E329 (Soil)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	11/26/2024

This certificate was generated on 11/23/2026 at 6:17 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

UES Professional Solutions 25, LLC

in Little Rock, Arkansas, USA

Asphalt Mixture

Standard:		Accredited Since:
R47	Reducing Samples of Hot-Mix Asphalt to Testing Size	04/02/2015
R68	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	02/15/2000
T30	Mechanical Analysis of Extracted Aggregate	02/15/2000
T166	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	02/15/2000
T209	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	02/15/2000
T245	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	02/15/2000
T269	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	02/15/2000
T287	Asphalt Content of Bituminous Mixtures by the Nuclear Method	02/15/2000
T308	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	11/26/2024
T312	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	02/15/2000
D2041	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	02/15/2000
D2726	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	02/15/2000
D3203	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	02/15/2000
D3549	Thickness or Height of Compacted Bituminous Paving Mixture Specimens	07/16/2021
D4125	Asphalt Content of Bituminous Mixtures by the Nuclear Method	02/15/2000
D5444	Mechanical Analysis of Extracted Aggregate	02/15/2000
D6307	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	11/26/2024
D6925	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	02/15/2000
D6926	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	02/15/2000
D6927	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	02/15/2000

This certificate was generated on 11/23/2026 at 6:17 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

UES Professional Solutions 25, LLC

in Little Rock, Arkansas, USA

Soil

Standard:		Accredited Since:
R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	05/01/2000
R74	Wet Preparation of Disturbed Soil Samples for Test	05/01/2000
T88	Particle Size Analysis of Soils by Hydrometer	05/01/2000
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	05/01/2000
T90	Plastic Limit of Soils (Atterberg Limits)	05/01/2000
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	05/01/2000
T100	Specific Gravity of Soils	05/01/2000
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	05/01/2000
T193	The California Bearing Ratio	05/01/2000
T265	Laboratory Determination of Moisture Content of Soils	05/01/2000
T310	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	05/01/2000
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	05/01/2000
D422	Particle Size Analysis of Soils by Hydrometer	05/01/2000
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	05/01/2000
D1140	Amount of Material in Soils Finer than the No. 200 (75-µm) Sieve	05/01/2000
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	05/01/2000
D1883	The California Bearing Ratio	05/01/2000
D2216	Laboratory Determination of Moisture Content of Soils	05/01/2000
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	05/01/2000
D4318	Plastic Limit of Soils (Atterberg Limits)	05/01/2000
D6913	Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis	12/31/2024
D6938	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	05/01/2000
D7928	Particle-Size Distribution (Gradation) of Fine-Grained Soils Using the Sedimentation (Hydrometer) Analysis	12/31/2024

This certificate was generated on 11/23/2026 at 6:17 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

UES Professional Solutions 25, LLC

in Little Rock, Arkansas, USA

Aggregate

Standard:	Accredited Since:
R76 Reducing Samples of Aggregate to Testing Size	05/15/1999
T11 Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing	12/27/2014
T21 Organic Impurities in Fine Aggregates for Concrete	05/15/1999
T27 Sieve Analysis of Fine and Coarse Aggregates	05/15/1999
T84 Specific Gravity (Relative Density) and Absorption of Fine Aggregate	05/15/1999
T85 Specific Gravity and Absorption of Coarse Aggregate	05/15/1999
T96 Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	07/02/2026
T104 Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	05/15/1999
T255 Total Moisture Content of Aggregate by Drying	05/15/1999
C40 Organic Impurities in Fine Aggregates for Concrete	05/15/1999
C88 Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	05/15/1999
C117 Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing	12/27/2014
C127 Specific Gravity and Absorption of Coarse Aggregate	05/15/1999
C128 Specific Gravity (Relative Density) and Absorption of Fine Aggregate	05/15/1999
C131 Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	05/15/1999
C136 Sieve Analysis of Fine and Coarse Aggregates	05/15/1999
C535 Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	08/22/2017
C566 Total Moisture Content of Aggregate by Drying	05/15/1999
C702 Reducing Samples of Aggregate to Testing Size	05/15/1999

This certificate was generated on 11/23/2026 at 6:17 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

UES Professional Solutions 25, LLC

in Little Rock, Arkansas, USA

Concrete

Standard:		Accredited Since:
M201	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	10/29/2012
R60	Sampling Freshly Mixed Concrete	05/15/1999
R100 (Beams)	Making and Curing Concrete Test Specimens in the Field	01/15/2015
R100 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	01/15/2015
T22	Compressive Strength of Cylindrical Concrete Specimens	05/15/1999
T97	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	01/15/2015
T119	Slump of Hydraulic Cement Concrete	05/15/1999
T121	Density (Unit Weight), Yield, and Air Content of Concrete	05/15/1999
T152	Air Content of Freshly Mixed Concrete by the Pressure Method	05/15/1999
T196	Air Content of Freshly Mixed Concrete by the Volumetric Method	10/29/2012
T231 (5000 psi and below)	Capping Cylindrical Concrete Specimens	06/30/2026
T309	Temperature of Freshly Mixed Portland Cement Concrete	10/29/2012
C31 (Beams)	Making and Curing Concrete Test Specimens in the Field	01/15/2015
C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	01/15/2015
C39	Compressive Strength of Cylindrical Concrete Specimens	05/15/1999
C78	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	01/15/2015
C138	Density (Unit Weight), Yield, and Air Content of Concrete	05/15/1999
C143	Slump of Hydraulic Cement Concrete	05/15/1999
C172	Sampling Freshly Mixed Concrete	05/15/1999
C173	Air Content of Freshly Mixed Concrete by the Volumetric Method	05/15/1999
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	05/15/1999
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	10/29/2012
C617 (5000 psi and below)	Capping Cylindrical Concrete Specimens	06/30/2026

This certificate was generated on 11/23/2026 at 6:17 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

UES Professional Solutions 25, LLC

in Little Rock, Arkansas, USA

Concrete (Continued)

Standard:		Accredited Since:
C1064	Temperature of Freshly Mixed Portland Cement Concrete	05/15/1999
C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	10/29/2012

This certificate was generated on 11/23/2026 at 6:17 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

UES Professional Solutions 25, LLC

in Little Rock, Arkansas, USA

Masonry

Standard:		Accredited Since:
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	10/29/2012
C780 (Annex 1)	Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Consistency by Cone Penetration	06/30/2026
C780 (Annex 6 - Cubes)	Preconstruction and Construction Evaluation of Mortars for Plain and Reinforced Unit Masonry - Compressive Strength of Cubes	06/30/2026

This certificate was generated on 11/23/2026 at 6:17 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory