



CERTIFICATE OF ACCREDITATION



Grubbs, Hoskyn, Barton, & Wyatt, LLC

in

Little Rock, Arkansas, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

A handwritten signature in black ink, appearing to read 'Jim Tymon', written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', written over a horizontal line.

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 04/01/2026 at 12:34 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

Grubbs, Hoskyn, Barton, & Wyatt, LLC
in Little Rock, Arkansas, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	05/15/1999
C1077 (Aggregate)	Laboratories Testing Concrete and Concrete Aggregates	12/27/2014
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	06/27/2012
C1093 (Masonry)	Accreditation of Testing Agencies for Unit Masonry	01/10/2011
D3666 (Aggregate)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	06/27/2012
D3666 (Asphalt Mixture)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	06/27/2012
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	06/27/2012
E329 (Aggregate)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	08/14/2020
E329 (Concrete)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	08/14/2020
E329 (Masonry)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	08/14/2020
E329 (Soil)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	11/26/2024



SCOPE OF AASHTO ACCREDITATION FOR:

Grubbs, Hoskyn, Barton, & Wyatt, LLC
 in Little Rock, Arkansas, USA

Asphalt Mixture

Standard:

Accredited Since:

R47	Reducing Samples of Hot-Mix Asphalt to Testing Size	04/02/2015
R68	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	02/15/2000
T30	Mechanical Analysis of Extracted Aggregate	02/15/2000
T166	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	02/15/2000
T209	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	02/15/2000
T245	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	02/15/2000
T269	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	02/15/2000
T287	Asphalt Content of Bituminous Mixtures by the Nuclear Method	02/15/2000
T308	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	11/26/2024
T312	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	02/15/2000
D2041	Maximum Specific Gravity of Hot Mix Asphalt Paving Mixtures	02/15/2000
D2726	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens	02/15/2000
D3203	Percent Air Voids in Compacted Dense and Open Bituminous Paving Mixtures	02/15/2000
D3549	Thickness or Height of Compacted Bituminous Paving Mixture Specimens	07/16/2021
D4125	Asphalt Content of Bituminous Mixtures by the Nuclear Method	02/15/2000
D5444	Mechanical Analysis of Extracted Aggregate	02/15/2000
D6307	Determining the Asphalt Content of Hot Mix Asphalt (HMA) by the Ignition Method	11/26/2024
D6925	Preparing and Determining the Density of Hot Mix Asphalt (HMA) Specimens by Means of the Superpave Gyratory Compactor	02/15/2000
D6926	Preparation of Asphalt Mixtures by Means of the Marshall Apparatus	02/15/2000
D6927	Resistance to Plastic Flow of Asphalt Mixtures Using Marshall Apparatus	02/15/2000



SCOPE OF AASHTO ACCREDITATION FOR:

Grubbs, Hoskyn, Barton, & Wyatt, LLC
in Little Rock, Arkansas, USA

Soil

Standard:

Accredited Since:

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	05/01/2000
R74	Wet Preparation of Disturbed Soil Samples for Test	05/01/2000
T88	Particle Size Analysis of Soils by Hydrometer	05/01/2000
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	05/01/2000
T90	Plastic Limit of Soils (Atterberg Limits)	05/01/2000
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	05/01/2000
T100	Specific Gravity of Soils	05/01/2000
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	05/01/2000
T193	The California Bearing Ratio	05/01/2000
T265	Laboratory Determination of Moisture Content of Soils	05/01/2000
T310	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	05/01/2000
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	05/01/2000
D422	Particle Size Analysis of Soils by Hydrometer	05/01/2000
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	05/01/2000
D1140	Amount of Material in Soils Finer than the No. 200 (75- μ m) Sieve	05/01/2000
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	05/01/2000
D1883	The California Bearing Ratio	05/01/2000
D2216	Laboratory Determination of Moisture Content of Soils	05/01/2000
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	05/01/2000
D4318	Plastic Limit of Soils (Atterberg Limits)	05/01/2000
D6913	Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis	12/31/2024
D6938	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	05/01/2000
D7928	Particle-Size Distribution (Gradation) of Fine-Grained Soils Using the Sedimentation (Hydrometer) Analysis	12/31/2024



SCOPE OF AASHTO ACCREDITATION FOR:

Grubbs, Hoskyn, Barton, & Wyatt, LLC
in Little Rock, Arkansas, USA

Aggregate

Standard:

Accredited Since:

R76 Reducing Samples of Aggregate to Testing Size	05/15/1999
T11 Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	12/27/2014
T21 Organic Impurities in Fine Aggregates for Concrete	05/15/1999
T27 Sieve Analysis of Fine and Coarse Aggregates	05/15/1999
T84 Specific Gravity (Relative Density) and Absorption of Fine Aggregate	05/15/1999
T85 Specific Gravity and Absorption of Coarse Aggregate	05/15/1999
T96 Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	05/15/1999
T104 Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	05/15/1999
T255 Total Moisture Content of Aggregate by Drying	05/15/1999
C40 Organic Impurities in Fine Aggregates for Concrete	05/15/1999
C88 Soundness of Aggregate by Use of Sodium Sulfate or Magnesium Sulfate	05/15/1999
C117 Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	12/27/2014
C127 Specific Gravity and Absorption of Coarse Aggregate	05/15/1999
C128 Specific Gravity (Relative Density) and Absorption of Fine Aggregate	05/15/1999
C131 Resistance to Abrasion of Small-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	05/15/1999
C136 Sieve Analysis of Fine and Coarse Aggregates	05/15/1999
C535 Resistance to Degradation of Large-Size Coarse Aggregate by Abrasion and Impact in the Los Angeles Machine	08/22/2017
C566 Total Moisture Content of Aggregate by Drying	05/15/1999
C702 Reducing Samples of Aggregate to Testing Size	05/15/1999



SCOPE OF AASHTO ACCREDITATION FOR:

Grubbs, Hoskyn, Barton, & Wyatt, LLC
in Little Rock, Arkansas, USA

Concrete

Standard:		Accredited Since:
M201	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	10/29/2012
R60	Sampling Freshly Mixed Concrete	05/15/1999
R100 (Beams)	Making and Curing Concrete Test Specimens in the Field	01/15/2015
R100 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	01/15/2015
T22	Compressive Strength of Cylindrical Concrete Specimens	05/15/1999
T97	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	01/15/2015
T119	Slump of Hydraulic Cement Concrete	05/15/1999
T121	Density (Unit Weight), Yield, and Air Content of Concrete	05/15/1999
T152	Air Content of Freshly Mixed Concrete by the Pressure Method	05/15/1999
T196	Air Content of Freshly Mixed Concrete by the Volumetric Method	10/29/2012
T231 (6000 psi and below)	Capping Cylindrical Concrete Specimens	06/24/2020
T309	Temperature of Freshly Mixed Portland Cement Concrete	10/29/2012
C31 (Beams)	Making and Curing Concrete Test Specimens in the Field	01/15/2015
C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	01/15/2015
C39	Compressive Strength of Cylindrical Concrete Specimens	05/15/1999
C78	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	01/15/2015
C138	Density (Unit Weight), Yield, and Air Content of Concrete	05/15/1999
C143	Slump of Hydraulic Cement Concrete	05/15/1999
C172	Sampling Freshly Mixed Concrete	05/15/1999
C173	Air Content of Freshly Mixed Concrete by the Volumetric Method	05/15/1999
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	05/15/1999
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	10/29/2012
C617 (6000 psi and below)	Capping Cylindrical Concrete Specimens	06/24/2020



SCOPE OF AASHTO ACCREDITATION FOR:

Grubbs, Hoskyn, Barton, & Wyatt, LLC

in Little Rock, Arkansas, USA

Concrete (Continued)

Standard:

Accredited Since:

C1064	Temperature of Freshly Mixed Portland Cement Concrete	05/15/1999
C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	10/29/2012



SCOPE OF AASHTO ACCREDITATION FOR:

Grubbs, Hoskyn, Barton, & Wyatt, LLC
in Little Rock, Arkansas, USA

Masonry

Standard:

Accredited Since:

M201	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	05/13/2024
R115	Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency	02/13/2024
T106	Compressive Strength of Hydraulic Cement Mortars (Using 2-in. Cube Specimens)	05/13/2024
T137	Air Content of Hydraulic Cement Mortar	02/13/2024
C109	Compressive Strength of Hydraulic Cement Mortars (Using 2-in. Cube Specimens)	03/09/2005
C185	Air Content of Hydraulic Cement Mortar	03/09/2005
C305	Mechanical Mixing of Hydraulic Cement Pastes and Mortars of Plastic Consistency	03/09/2005
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	10/29/2012
C1437	Flow of Hydraulic Cement Mortar	03/09/2005
C1506	Water Retention of Hydraulic Cement-Based Mortars and Plasters	03/09/2005