AASHTO ACCREDITED

Certificate of Accreditation

American Association of State Highway and Transportation Officials

AASHTO

S&ME, Inc.

in

North Charleston, South Carolina, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

Jim Tymon,
AASHTO Executive Director

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 11/27/2026 at 2:15 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

S&ME, Inc.

in North Charleston, South Carolina, USA

Quality Management System

Standard:		Accredited Since:
R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	03/01/1997
C1077 (Aggregate)	Laboratories Testing Concrete and Concrete Aggregates	01/10/2011
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	01/10/2011
C1093 (Masonry)	Accreditation of Testing Agencies for Unit Masonry	01/21/2026
D3666 (Asphalt Mixture)	Minimum Requirements for Agencies Testing and Inspecting Road and Paving Materials	08/06/2025
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	01/10/2011
E329 (Aggregate)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/10/2011
E329 (Asphalt Mixture)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	08/06/2025
E329 (Concrete)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/10/2011
E329 (Masonry)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/21/2026
E329 (Soil)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	01/10/2011
E329 (Sprayed Fire-Resistive Material)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	04/10/2018

This certificate was generated on 11/27/2026 at 2:15 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

S&ME, Inc.

in North Charleston, South Carolina, USA

Asphalt Mixture

Standard:		Accredited Since:
T166 (Cores)	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens (Cores)	04/08/2016
D2726 (Cores)	Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens (Cores)	04/08/2016
D2950	Density of Bituminous Concrete In Place by Nuclear Methods	09/08/2011
D3665	Random Sampling of Construction Materials	05/31/2025

This certificate was generated on 11/27/2026 at 2:15 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

S&ME, Inc.

in North Charleston, South Carolina, USA

Soil

Standard:		Accredited Since:
R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	03/01/1997
T88	Particle Size Analysis of Soils by Hydrometer	03/01/1997
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	03/01/1997
T90	Plastic Limit of Soils (Atterberg Limits)	03/01/1997
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	03/01/1997
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	03/01/1997
T193	The California Bearing Ratio	03/01/1997
T217	Determination of Moisture in Soils by Means of a Calcium Carbide Gas Pressure Moisture Tester	03/01/1997
T265	Laboratory Determination of Moisture Content of Soils	03/01/1997
T267	Determination of Organic Content in Soils by Loss on Ignition	08/22/2013
T310	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	03/01/1997
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	03/01/1997
D422	Particle Size Analysis of Soils by Hydrometer	03/01/1997
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	03/01/1997
D1140	Amount of Material in Soils Finer than the No. 200 (75-µm) Sieve	03/01/1997
D1556	Density of Soil In-Place by the Sand Cone Method	03/01/1997
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	03/01/1997
D1883	The California Bearing Ratio	03/01/1997
D2216	Laboratory Determination of Moisture Content of Soils	03/01/1997
D2487	Classification of Soils for Engineering Purposes (Unified Soil Classification System)	03/01/1997
D2488	Description and Identification of Soils (Visual-Manual Procedure)	03/01/1997
D2974	Determination of Organic Content in Soils by Loss on Ignition	08/22/2013
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	03/01/1997

This certificate was generated on 11/27/2026 at 2:15 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

S&ME, Inc.

in North Charleston, South Carolina, USA

Soil (Continued)

Standard:	Accredited Since:
D4318 Plastic Limit of Soils (Atterberg Limits)	03/01/1997
D4944 Determination of Moisture in Soils by Means of a Calcium Carbide Gas Pressure Moisture Tester	03/01/1997
D6913 Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis	02/10/2021
D6938 In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	03/01/1997

This certificate was generated on 11/27/2026 at 2:15 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

S&ME, Inc.

in North Charleston, South Carolina, USA

Aggregate

Standard:		Accredited Since:
R76	Reducing Samples of Aggregate to Testing Size	03/01/1997
R90	Sampling Aggregate	04/08/2016
T11	Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing	03/01/1997
T21	Organic Impurities in Fine Aggregates for Concrete	03/01/1997
T27	Sieve Analysis of Fine and Coarse Aggregates	03/01/1997
T84	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	03/01/1997
T85	Specific Gravity and Absorption of Coarse Aggregate	03/01/1997
T255	Total Moisture Content of Aggregate by Drying	03/01/1997
C40	Organic Impurities in Fine Aggregates for Concrete	03/01/1997
C117	Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing	03/01/1997
C127	Specific Gravity and Absorption of Coarse Aggregate	03/01/1997
C128	Specific Gravity (Relative Density) and Absorption of Fine Aggregate	03/01/1997
C136	Sieve Analysis of Fine and Coarse Aggregates	03/01/1997
C566	Total Moisture Content of Aggregate by Drying	03/01/1997
C702	Reducing Samples of Aggregate to Testing Size	03/01/1997
D75	Sampling Aggregate	04/08/2016

This certificate was generated on 11/27/2026 at 2:15 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

S&ME, Inc.

in North Charleston, South Carolina, USA

Sprayed Fire-Resistive Material

Standard:	Accredited Since:
E605 Thickness and Density of Sprayed Fire-Resistive Material(SFRM) Applied to Structural Members	04/10/2018
E736 Cohesion/Adhesion of Sprayed Fire-Resistive MaterialsApplied to Structural Members	04/10/2018

This certificate was generated on 11/27/2026 at 2:15 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

S&ME, Inc.

in North Charleston, South Carolina, USA

Concrete

Standard:		Accredited Since:
M201	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	07/30/2012
R60	Sampling Freshly Mixed Concrete	03/01/1997
R100 (Beams)	Making and Curing Concrete Test Specimens in the Field	03/01/1997
R100 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	03/01/1997
T22	Compressive Strength of Cylindrical Concrete Specimens	03/01/1997
T24 (Testing Drilled Cores of Concrete)	Testing Drilled Cores of Concrete	10/18/2022
T97	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	07/30/2012
T119	Slump of Hydraulic Cement Concrete	03/01/1997
T121	Density (Unit Weight), Yield, and Air Content of Concrete	03/01/1997
T152	Air Content of Freshly Mixed Concrete by the Pressure Method	03/01/1997
T196	Air Content of Freshly Mixed Concrete by the Volumetric Method	07/30/2012
T231 (5000 psi and below)	Capping Cylindrical Concrete Specimens	01/21/2026
T309	Temperature of Freshly Mixed Portland Cement Concrete	03/01/1997
C31 (Beams)	Making and Curing Concrete Test Specimens in the Field	03/01/1997
C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	03/01/1997
C39	Compressive Strength of Cylindrical Concrete Specimens	03/01/1997
C42 (Testing Drilled Cores of Concrete)	Testing Drilled Cores of Concrete	10/18/2022
C78	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	03/01/1997
C138	Density (Unit Weight), Yield, and Air Content of Concrete	03/01/1997
C143	Slump of Hydraulic Cement Concrete	03/01/1997
C172	Sampling Freshly Mixed Concrete	03/01/1997
C173	Air Content of Freshly Mixed Concrete by the Volumetric Method	03/01/1997
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	03/01/1997

This certificate was generated on 11/27/2026 at 2:15 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

S&ME, Inc.

in North Charleston, South Carolina, USA

Concrete (Continued)

Standard:		Accredited Since:
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	07/30/2012
C617 (5000 psi and below)	Capping Cylindrical Concrete Specimens	01/21/2026
C1064	Temperature of Freshly Mixed Portland Cement Concrete	03/01/1997
C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	07/30/2012
C1542	Measuring Length of Concrete Cores	01/21/2026

This certificate was generated on 11/27/2026 at 2:15 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory

Scope of AASHTO Accreditation for:

S&ME, Inc.

in North Charleston, South Carolina, USA

Masonry

Standard:		Accredited Since:
C140 (Full-Size Concrete Masonry Units)	Sampling and Testing Concrete Masonry Units and Related Units	01/21/2026
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	10/18/2022
C1019	Sampling and Testing Grout	10/18/2022
C1552	Capping Concrete Masonry Units, Related Units and Masonry Prisms for Compression Testing	10/19/2009

This certificate was generated on 11/27/2026 at 2:15 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory