



CERTIFICATE OF ACCREDITATION



S&ME, Inc.

in

Greenville, South Carolina, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

A handwritten signature in black ink, appearing to read 'Jim Tymon', written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', written over a horizontal line.

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 06/15/2026 at 1:31 AM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:

S&ME, Inc.

in Greenville, South Carolina, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	04/01/2000
C1077 (Aggregate)	Laboratories Testing Concrete and Concrete Aggregates	07/20/2011
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	01/10/2011



SCOPE OF AASHTO ACCREDITATION FOR:

S&ME, Inc.

in Greenville, South Carolina, USA

Soil

Standard:

Accredited Since:

D421 Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	04/01/2000
D422 Particle Size Analysis of Soils by Hydrometer	04/01/2000
D698 The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	04/01/2000
D854 Specific Gravity of Soils	04/01/2000
D1140 Amount of Material in Soils Finer than the No. 200 (75- μ m) Sieve	04/01/2000
D1557 Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	04/01/2000
D1883 The California Bearing Ratio	04/01/2000
D2166 Unconfined Compressive Strength of Cohesive Soil	06/10/2013
D2216 Laboratory Determination of Moisture Content of Soils	04/01/2000
D2435 One-Dimensional Consolidation Properties of Soils Using Incremental Loading	01/29/2018
D2850 Unconsolidated, Undrained Compressive Strength of Cohesive Soils in Triaxial Compression	04/01/2000
D4318 Determining the Liquid Limit of Soils (Atterberg Limits)	04/01/2000
D4318 Plastic Limit of Soils (Atterberg Limits)	04/01/2000
D4767 Consolidated-Undrained Triaxial Compression Test on Cohesive Soils	04/01/2000
D6913 Particle-Size Distribution (Gradation) of Soils Using Sieve Analysis	10/17/2022



SCOPE OF AASHTO ACCREDITATION FOR:

S&ME, Inc.

in Greenville, South Carolina, USA

Aggregate

Standard:

Accredited Since:

C29 Bulk Density ("Unit Weight") and Voids in Aggregate	04/01/2000
C117 Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	04/01/2000
C127 Specific Gravity and Absorption of Coarse Aggregate	04/01/2000
C128 Specific Gravity (Relative Density) and Absorption of Fine Aggregate	04/01/2000
C136 Sieve Analysis of Fine and Coarse Aggregates	04/01/2000
C566 Total Moisture Content of Aggregate by Drying	04/01/2000
C702 Reducing Samples of Aggregate to Testing Size	04/01/2000