



CERTIFICATE OF ACCREDITATION



S&ME, Inc.

in

Florence, South Carolina, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories (aashtoresource.org).

A handwritten signature in black ink, appearing to read 'Jim Tymon', written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', written over a horizontal line.

Matt Linneman,
AASHTO COMP Chair

This certificate was generated on 06/07/2026 at 11:23 PM Eastern Time. Please confirm the current accreditation status of this laboratory at aashtoresource.org/aap/accreditation-directory



SCOPE OF AASHTO ACCREDITATION FOR:
S&ME, Inc.
in Florence, South Carolina, USA

Quality Management System

Standard:

Accredited Since:

R18	Establishing and Implementing a Quality System for Construction Materials Testing Laboratories	10/07/2003
C1077 (Aggregate)	Laboratories Testing Concrete and Concrete Aggregates	05/11/2015
C1077 (Concrete)	Laboratories Testing Concrete and Concrete Aggregates	04/24/2015
D3740 (Soil)	Minimum Requirements for Agencies Engaged in Testing and/or Inspection of Soil and Rock as Used in Engineering Design and Construction	04/24/2015
E329 (Aggregate)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	05/11/2015
E329 (Concrete)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	04/24/2015
E329 (Soil)	Standard Specification for Agencies Engaged in the Testing and/or Inspection of Materials Used in Construction	04/24/2015



SCOPE OF AASHTO ACCREDITATION FOR:
S&ME, Inc.
in Florence, South Carolina, USA

Asphalt Mixture

Standard:

Accredited Since:

T166 (Cores) Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens (Cores)	10/20/2015
D2726 (Cores) Bulk Specific Gravity of Compacted Hot Mix Asphalt Using Saturated Surface-Dry Specimens (Cores)	10/20/2015



SCOPE OF AASHTO ACCREDITATION FOR:

S&ME, Inc.

in Florence, South Carolina, USA

Soil

Standard:

Accredited Since:

R58	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	07/06/2011
T88	Particle Size Analysis of Soils by Hydrometer	07/06/2011
T89	Determining the Liquid Limit of Soils (Atterberg Limits)	07/06/2011
T90	Plastic Limit of Soils (Atterberg Limits)	07/06/2011
T99	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	07/06/2011
T180	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	07/06/2011
T193	The California Bearing Ratio	07/06/2011
T265	Laboratory Determination of Moisture Content of Soils	07/06/2011
T310	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	07/06/2011
D421	Dry Preparation of Disturbed Soil and Soil Aggregate Samples for Test	08/05/2004
D422	Particle Size Analysis of Soils by Hydrometer	08/05/2004
D698	The Moisture-Density Relations of Soils Using a 5.5 lb [2.5 kg] Rammer and a 12 in. [305 mm] Drop	08/05/2004
D1140	Amount of Material in Soils Finer than the No. 200 (75- μ m) Sieve	08/05/2004
D1557	Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop	08/05/2004
D1883	The California Bearing Ratio	08/05/2004
D2216	Laboratory Determination of Moisture Content of Soils	08/05/2004
D4318	Determining the Liquid Limit of Soils (Atterberg Limits)	08/05/2004
D4318	Plastic Limit of Soils (Atterberg Limits)	08/05/2004
D6938	In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth)	07/06/2011



SCOPE OF AASHTO ACCREDITATION FOR:

S&ME, Inc.

in Florence, South Carolina, USA

Aggregate

Standard:

Accredited Since:

R76 Reducing Samples of Aggregate to Testing Size	06/14/2013
T11 Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	07/06/2011
T27 Sieve Analysis of Fine and Coarse Aggregates	07/06/2011
T84 Specific Gravity (Relative Density) and Absorption of Fine Aggregate	07/06/2011
T85 Specific Gravity and Absorption of Coarse Aggregate	07/06/2011
T255 Total Moisture Content of Aggregate by Drying	07/06/2011
C117 Materials Finer Than 75- μ m (No. 200) Sieve in Mineral Aggregates by Washing	08/05/2004
C127 Specific Gravity and Absorption of Coarse Aggregate	08/05/2004
C128 Specific Gravity (Relative Density) and Absorption of Fine Aggregate	08/05/2004
C136 Sieve Analysis of Fine and Coarse Aggregates	08/05/2004
C566 Total Moisture Content of Aggregate by Drying	08/05/2004
C702 Reducing Samples of Aggregate to Testing Size	06/14/2013



SCOPE OF AASHTO ACCREDITATION FOR:
S&ME, Inc.
 in Florence, South Carolina, USA

Concrete

Standard:		Accredited Since:
M201	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	03/27/2014
R60	Sampling Freshly Mixed Concrete	03/27/2014
R100 (Beams)	Making and Curing Concrete Test Specimens in the Field	03/27/2014
R100 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	03/27/2014
T22	Compressive Strength of Cylindrical Concrete Specimens	03/27/2014
T97	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	03/27/2014
T119	Slump of Hydraulic Cement Concrete	03/27/2014
T121	Density (Unit Weight), Yield, and Air Content of Concrete	03/27/2014
T152	Air Content of Freshly Mixed Concrete by the Pressure Method	03/27/2014
T196	Air Content of Freshly Mixed Concrete by the Volumetric Method	03/27/2014
T231 (6000 psi and below)	Capping Cylindrical Concrete Specimens	01/21/2026
T309	Temperature of Freshly Mixed Portland Cement Concrete	03/27/2014
C31 (Beams)	Making and Curing Concrete Test Specimens in the Field	10/07/2003
C31 (Cylinders)	Making and Curing Concrete Test Specimens in the Field	10/07/2003
C39	Compressive Strength of Cylindrical Concrete Specimens	10/07/2003
C78	Flexural Strength of Concrete (Using Simple Beam with Third-Point Loading)	10/07/2003
C138	Density (Unit Weight), Yield, and Air Content of Concrete	10/07/2003
C143	Slump of Hydraulic Cement Concrete	10/07/2003
C172	Sampling Freshly Mixed Concrete	10/07/2003
C173	Air Content of Freshly Mixed Concrete by the Volumetric Method	10/07/2003
C231	Air Content of Freshly Mixed Concrete by the Pressure Method	10/07/2003
C511	Moist Cabinets, Moist Rooms, and Water Storage Tanks Used in the testing of Hydraulic Cements and Concretes	09/29/2011
C617 (6000 psi and below)	Capping Cylindrical Concrete Specimens	01/21/2026



SCOPE OF AASHTO ACCREDITATION FOR:

S&ME, Inc.

in Florence, South Carolina, USA

Concrete (Continued)

Standard:

Accredited Since:

C1064	Temperature of Freshly Mixed Portland Cement Concrete	10/07/2003
C1231 (7000 psi and below)	Use of Unbonded Caps in Determination of Compressive Strength of Hardened Concrete Cylinders	09/29/2011