



# CERTIFICATE OF ACCREDITATION



## Watson Engineering Company, Inc.

in

**Cedar City, Utah, USA**

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories ([aashtoresource.org](https://aashtoresource.org)).

A handwritten signature in black ink, appearing to read 'Jim Tymon', written over a horizontal line.

Jim Tymon,  
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Matt Linneman', written over a horizontal line.

Matt Linneman,  
AASHTO COMP Chair

This certificate was generated on 08/11/2026 at 9:12 PM Eastern Time. Please confirm the current accreditation status of this laboratory at [aashtoresource.org/aap/accreditation-directory](https://aashtoresource.org/aap/accreditation-directory)



# SCOPE OF AASHTO ACCREDITATION FOR:

Watson Engineering Company, Inc.

in Cedar City, Utah, USA

## Quality Management System

### Standard:

### Accredited Since:

R18 Establishing and Implementing a Quality System for Construction Materials Testing Laboratories

09/24/2012

C1077 (Aggregate) Laboratories Testing Concrete and Concrete Aggregates

**Suspended**



# SCOPE OF AASHTO ACCREDITATION FOR:

Watson Engineering Company, Inc.

in Cedar City, Utah, USA

## Soil

### Standard:

### Accredited Since:

|       |                                                                                                     |            |
|-------|-----------------------------------------------------------------------------------------------------|------------|
| T180  | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop      | 09/24/2012 |
| T310  | In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth) | 09/24/2012 |
| D1557 | Moisture-Density Relations of Soils Using a 10 lb [4.54 kg] Rammer and an 18 in. [457 mm] Drop      | 09/24/2012 |
| D4718 | Oversize Particle Correction                                                                        | 02/10/2015 |
| D6938 | In-Place Density and Moisture Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth) | 09/24/2012 |



# SCOPE OF AASHTO ACCREDITATION FOR:

Watson Engineering Company, Inc.

in Cedar City, Utah, USA

## Aggregate

### Standard:

### Accredited Since:

|                                                                                  |                  |
|----------------------------------------------------------------------------------|------------------|
| R76 Reducing Samples of Aggregate to Testing Size                                | 09/24/2012       |
| T11 Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing  | 09/24/2012       |
| T27 Sieve Analysis of Fine and Coarse Aggregates                                 | <b>Suspended</b> |
| T84 Specific Gravity (Relative Density) and Absorption of Fine Aggregate         | 02/10/2017       |
| T85 Specific Gravity and Absorption of Coarse Aggregate                          | <b>Suspended</b> |
| T255 Total Moisture Content of Aggregate by Drying                               | 09/24/2012       |
| C117 Materials Finer Than 75-µm (No. 200) Sieve in Mineral Aggregates by Washing | 09/24/2012       |
| C127 Specific Gravity and Absorption of Coarse Aggregate                         | <b>Suspended</b> |
| C128 Specific Gravity (Relative Density) and Absorption of Fine Aggregate        | 02/10/2017       |
| C136 Sieve Analysis of Fine and Coarse Aggregates                                | <b>Suspended</b> |
| C566 Total Moisture Content of Aggregate by Drying                               | 09/24/2012       |
| C702 Reducing Samples of Aggregate to Testing Size                               | 09/24/2012       |