



CERTIFICATE OF ACCREDITATION



Midland Asphalt Materials Inc.

in

Woodland, Pennsylvania, USA

has demonstrated proficiency for the testing of construction materials and has conformed to the requirements established in AASHTO R 18 and the AASHTO Accreditation policies established by the AASHTO Committee on Materials and Pavements.

The scope of accreditation can be viewed on the Directory of AASHTO Accredited Laboratories ([aashtoresource.org](https://www.aashtoresource.org)).

A handwritten signature in black ink, appearing to read 'Jim Tymon', written over a horizontal line.

Jim Tymon,
AASHTO Executive Director

A handwritten signature in black ink, appearing to read 'Moe Jamshidi', written over a horizontal line.

Moe Jamshidi,
AASHTO COMP Chair

This certificate was generated on 07/19/2024 at 10:25 AM Eastern Time. Please confirm the current accreditation status of this laboratory at [aashtoresource.org/aap/accreditation-directory](https://www.aashtoresource.org/aap/accreditation-directory)



SCOPE OF AASHTO ACCREDITATION FOR:

Midland Asphalt Materials Inc.

in Woodland, Pennsylvania, USA

Quality Management System

Standard:

Accredited Since:

R18 Establishing and Implementing a Quality System for Construction Materials Testing Laboratories

02/13/2018



SCOPE OF AASHTO ACCREDITATION FOR:

Midland Asphalt Materials Inc.

in Woodland, Pennsylvania, USA

Asphalt Binder

Standard:

Accredited Since:

T49 Penetration of Original Sample of Asphalt Cement

11/06/2023

D5 Penetration of Original Sample of Asphalt Cement

11/06/2023



SCOPE OF AASHTO ACCREDITATION FOR:

Midland Asphalt Materials Inc.

in Woodland, Pennsylvania, USA

Emulsified Asphalt

Standard:

Accredited Since:

T59	Residue by Distillation	02/13/2018
T59	Residue by Evaporation	02/13/2018
T59	Saybolt Viscosity at 50°C (122°F)	02/13/2018
T59	Sieve Test	11/06/2023
T382	Viscosity of Emulsified Asphalts Using Rotational Paddle Viscometer at 25°C (77°F)	11/16/2020
T382	Viscosity of Emulsified Asphalts Using Rotational Paddle Viscometer at 50°C (122°F)	11/16/2020
D6933	Sieve Test	11/06/2023
D6934	Residue by Evaporation	02/13/2018
D6997	Residue by Distillation	02/13/2018
D7226	Viscosity of Emulsified Asphalts Using Rotational Paddle Viscometer at 25°C (77°F)	11/16/2020
D7226	Viscosity of Emulsified Asphalts Using Rotational Paddle Viscometer at 50°C (122°F)	11/16/2020
D7496	Saybolt Viscosity at 50°C (122°F)	02/13/2018